

PRODUCT DATASHEET

LED SQUARE IP44 CLICK CCT 14W 3000/4000 K

LED SQUARE IP44 | Luminaires with two selectable color temperatures via wall switch



AREAS OF APPLICATION

- Wall and ceiling surface mounting
- Bathrooms (IP44)
- Indoor applications

PRODUCT BENEFITS

- Homogenous illumination
- Easy and quick installation

PRODUCT FEATURES

- Color temperature selectable via wall switch (3000 K, 4000 K)
- Type of protection: IP44



TECHNICAL DATA

Electrical data

Nominal wattage	14.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000/4000 K
Color rendering index Ra	90
Light color (designation)	Warm White/Cool White
Luminous flux	1250 lm
Luminous efficacy	89 lm/W

Light technical data

Beam angle	180 °
------------	-------

Dimensions & weight



Length	600.0 mm
Width	40.0 mm
Height	70.0 mm
Product weight	800.00 g

Colors & materials

Body material	Aluminum
Product color	White
Housing color	White
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Number of switching cycles	15000
----------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Ceiling / Wall

Capabilities

Dimmable	No
Type of connection	Terminal, 2-Pole (L, N)
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075399624	Folding carton box 1	71 mm x 54 mm x 616 mm	876.00 g	2.36 dm ³
4058075399631	Shipping carton box 4	626 mm x 152 mm x 120 mm	2172.00 g	11.42 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.