
Hardware

Networking interface	(1) 1/2.5 GbE RJ45 port
Management interface	Ethernet
Power method	PoE+
Power supply	UniFi PoE Switch
Supported voltage range	42.5—57V DC
Max. power consumption	19W
Max. TX power	
2.4 GHz	23 dBm
5 GHz	26 dBm
6 GHz	-
MIMO	
2.4 GHz	2 x 2 (DL/UL MU-MIMO)
5 GHz	2 x 2 (DL/UL MU-MIMO)
6 GHz	-
Max. data rate	
2.4 GHz	688 Mbps (BW40)
5 GHz	4.3 Gbps (BW240)
6 GHz	-
Antenna gain	
2.4 GHz	Directional internal: 8 dBi/External omni: 3 dBi
5 GHz	Directional internal: 12.5 dBi/External omni: 4 dBi
6 GHz	-
Antenna beamwidth	
2.4 GHz	90°
5 GHz	45°
6 GHz	-
Antennas	(1) Directional internal antenna (2) External omni antennas (2) RP-SMA connectors for external antenna
LEDs	(1) Power: white/blue (4) Mesh signal: blue
Button	Factory reset
Mounting	Wall, ceiling, pole (Included)
Ambient operating temperature	-30 to 60° C (-22 to 140° F)

Ambient operating humidity	5 to 95% noncondensing
-----------------------------------	------------------------

Certifications	CE, FCC, IC
-----------------------	-------------

Software

WiFi standards	802.11a/b/g/n/ac/ax/be (WiFi 6, WiFi 7)
-----------------------	---

Wireless security	WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3/PPSK)
--------------------------	--

BSSID	8 per radio
--------------	-------------

VLAN	802.1Q
-------------	--------

Advanced QoS	Per-user rate limiting
---------------------	------------------------

Guest traffic isolation	Supported
--------------------------------	-----------

Concurrent clients	200+
---------------------------	------

Supported Data Rates

802.11a	6, 9, 12, 18, 24, 36, 48, 54 Mbps
----------------	-----------------------------------

802.11b	1, 2, 5.5, 11 Mbps
----------------	--------------------

802.11g	6, 9, 12, 18, 24, 36, 48, 54 Mbps
----------------	-----------------------------------

802.11n	6.5 Mbps to 300 Mbps (MCS0 - MCS15, HT 20/40)
----------------	---

802.11ac	6.5 Mbps to 1.7 Gbps (MCS0 - MCS9 NSS1/2, VHT 20/40/80/160)
-----------------	---

802.11ax (WiFi 6)	7.3 Mbps to 2.4 Gbps (MCS0 - MCS11 NSS1/2, HE 20/40/80/160)
--------------------------	---

802.11be (WiFi 7)	7.3 Mbps to 4.3 Gbps (MCS0 - MCS13 NSS1/2, EHT 20/40/80/160/240)
--------------------------	--

Application Requirements

UniFi Network	Version 8.3 and later
----------------------	-----------------------

