



OREGON®





Stihl™, Husqvarna™, Jonsered™,
Dolmar™, Echo™, Oleo-Mac™,
Shindaiwa™, Zenoah™




infocenter.oregonproducts.eu





AEG™											
A18CHS14, ACS18B, ACS18B30, ACS18B3060, ACS18BS6	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
KES35, KS30, KS35, KS40	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
ACS58B200, ACS58B400	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
A58CHS18, ACS58B18	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
ALDI™											
Mc.C. 839	40	16	3/8" LOW PROFILE	1.3	54	B54	160SDEA318		B1	B2	B5
AL-KO™											
CS1825	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2	A5
CSA1820, CSA2020, CSA4020, MT40	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
CS36Li, CS4030	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
AC310714-38, AC310716-38, KB35/35	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318		B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	60		180SDEA318		B1	B2	B5
KE1800/35, KE1800/40S	35	14	3/8" LOW PROFILE	1.3	50	B50			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	55	B55			B1	B2	B5
BKS35, BKS35II, BKS35/35II, BKS40, BKS40II, BKS40/40II, EKI2200-40, EKS2000-35, EKS2400-40	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
BKS3835, BKS4040	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
ALPINA™											
P34, P34S	30	12	3/8" LOW PROFILE	1.1	44	A44			A1	A2	A5
AMT20LiKit, AMT26, AMT48LiKit, APR25, APR527, A2500, C25, MT2148Li	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
ACS40Li, APR48Li	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5





ALPINA™ ./..


ACS 1.8 E, ACS 180 E, EA 1800	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
A 375, A 405, A 3700, A 4000, ACS 38, ACS 531, ACS 538, A180 E, A200 E, A200 EQ, A350, A350Q, A400, A400 Q, A3700, ACS 38, ACS 38T, C1.8E H33, C1.8ET, C2.0E, C2.0ET, C38, C38 T, CP 38, CP 40, P352, P338, SP 375, SP 375Q, XC 238, XC 240	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
A-10E, A-14E, ACS 1.8 E, ACS 2.0 ET, ACS 2.2 ET, E120, E130, E150, EA 1800, EA 2000 Q, KS 1400B, KS 1500B	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
ACS 200 ET	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2	D5
ACS 41, ACS 41T, ACS 542, C 41, C 41T, SP 405, SP 405Q	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK041		D1	D2	D5
	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
A 455, A 4500, ACS 46, ACS 50, ACS 546, ACS 552, C 46, CP 45, MC 846, XC 246, C 50	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
	50	20	.325"	1.5	78	F78	208PXBK095		D1	D2	D5
P660, P680, P700, P750, P800, Prof-700, Prof-750, Prof-800	45	18	3/8"	1.5	68	L68	188SFHD009	(1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD009	(1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5

ASGATEC™

EK1400, EK1600, EK1801, EK1840, EK2001, EK2040	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5

ATIKA™

KSH 600, KSH 710 SDS, KSHC 40-20	20	8	3/8" LOW PROFILE	1.1	33	A33			A1	A2	A5
BKSH 30, BMGS 30	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
KS 1800/35, KSC 40-35	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
KS 2403/40	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
BKS38, BKS 38A, Comet KS200/40, KS 2000/40	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5



ATIKA™ ./..

KS 2001/40, KS 2002/40, KS 2201/40, KSC 2401/40, KS 2402/40, KSL 2200/40, KSL 2401/40, O.K. BKS 40	40	16	3/8" LOW PROFILE	1.3	57	B57		B1	B2	B5
BKS 45-2	45	18	.325"	1.5	72	F72		D1	D2	D5

B&Q™

FPCSP38-1	35	14	3/8" LOW PROFILE	1.3	52	B52		B1	B2	B5
FPCSP45	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA095	B1	B2	B5

BASIC™

EKS1800	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318	B1	B2	B5
EK1800, EKS 1800-2, MKS4640	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5

BESTGREEN™

BG2525	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041	B1	B2	B5
BG EXPERT 2730	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045	B1	B2	B5
BG1900T, BG4245, BG ECS2000	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5
BG EXPERT CS2400, BG4040	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041	B1	B2	B5
BG4445	45	18	.325"	1.3	72	E72		D1	D2	D5
BG3840	40	16	.325"	1.5	66	F66		D1	D2	D5
BG EXPERT 4545	45	18	.325"	1.5	72	F72	188PXBK095 (1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
BG EXPERT 5050	50	20	.325"	1.5	78	F78	208PXBK095	D1	D2	D5


BILTEMA™

CS122G	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045	B1	B2	B5
17-431 (40cc)	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052	B1	B2	B5
CS142G	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041	B1	B2	B5
17-437 (50cc)	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA095	B1	B2	B5
17-4323 EL	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041	B1	B2	B5
	33	13	.325"	1.5	56	F56	138PXBK041	D1	D2	D5
CS162G	38	15	.325"	1.5	64	F64	158PXBK041	D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK041	D1	D2	D5

BLACK + DECKER™

GK1817, GKC1817, GPC1800, GPC1820, GPC1820L20, LPP120	20	8	3/8" LOW PROFILE	1.1	34	90PX034E		A1	A2	A5
GKC3630L20, GKC3630LB	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041	A1	A2	A5





BLACK + DECKER™ ./..

GKC1825LB, GKC1825L20, PP610, PS7525	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
CS30, CS35, DN400, DN401, DN402, DN404, DN412, DN416, GK30, GK35, GK120, GK300, GK310, GK320, GK321, GK322, GK330, GK331, GK425, GK430, GK435, GK440, GK534, GK535, GK540, GK1365, GK1430, GK1435, GK1440, GK1630, GK1630T, GK1635, GK1635TX, GK1635T, GK1640, GK1640T, GK1935, GK1940	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA318		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA318		B1	B2	B5
GK1635TX-QS	35	14	3/8" LOW PROFILE	1.3	49	B49			B1	B2	B5
CS1835	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
GK1640T	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
BDC20, CS1840, CS2040, GK1940T, GK2240T, GK2240TX	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
CS2245	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5

BLACKLINE™

BL-BK 35/2	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2	B5
------------	----	----	------------------	-----	----	------------	--	--	----	----	----


BONUS™

KSB 35, MKS3835, GK1635TE	35	14	3/8" LOW PROFILE	1.3	49	B49			B1	B2	B5
KSi1800-35, KSi1800	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041	(2x) 91P052	B1	B2	B5
EKS 2500QT	40	16	3/8" LOW PROFILE	1.3	55	B55			B1	B2	B5
KSE2000S	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5

BOSCH™


UniversalChainPole 18, UniversalChain 18	20	8	3/8" LOW PROFILE	1.1	33	A33	084MLEA041		A1	A2	A5
AdvancedChain 36V-35-40 (06008B8600), AKE30Li*, AKE30S, AKE30/17S, AKE30/18S, AKE30-19S, AKE35, AKE35S, AKE35/17S, AKE35/18S, AKE35/19, AKE35/19S, AKE35S/19S, AKE36S, AKE40*, AKE40S*, AKE40SDS, AKE40/17S, AKE40/18S, AKE40/19S*, AKE3000*, AKE3500E*, AKE4000*, 35-19S, 40-19S, 40-19PRO, 35 Uni, Universal 35, UniversalChain 35, UniversalChain 40, Akkusäge 30Li	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5

* Gauge may vary and be 1.3mm



BOSCH™ ./..											
1586.7, 1586.8, AKE30B, AKE30Li*, AKE30-19Pro, AKE35-19Pro, AKE35B, AKE40-19Pro, AKE40*, AKE40B, AKE40S*, AKE40-19S*, AKE3000*, AKE3500*, AKE4000*, AKE Edition, BKE30, GKE35B, GKE35BC, GKE35BCE, GKE40BC, GKE40BCE	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
AKE4000*, AKE Edition, BKE30, GKE35B, GKE35BC, GKE35BCE, GKE40BC, GKE40BCE	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
PKE25, PKE30B, PKE35B, PKE40B, PKE40	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
* Gauge may vary and be 1.1mm	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
AKE45S	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
BRICOMARCHÉ™											
CSP2525	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
MSF-4300-1	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
BUDGET™											
BKS 1600	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
BKS 402	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
BKS 401	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
BULLCRAFT™											
KSE30, KS300, KS1300B, BES1300B, KS40S, KS400S, KSE1300B	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA318		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5
CARREFOUR™											
9097-31C005	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
CASTORAMA™											
FPPS710	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
FPCSP25-1, FPCSP25-3	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
FPCS1800A, FPCSP38, FPCSP38-1	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
FPCSP41-3	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
FPCSP45	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA095		B1	B2	B5
Cast TPE 40, Inline FPCS2000	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
CHAMPION™											
138/242/335-16	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
CMI™											
CMI25ccm	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
CMI1800, EKS-1800, C-EKS-1800/35	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
CMI38	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
CMI 45-40	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
2040KSS, C-BKS 45, 4-40, C-BUS 38, CMI 45-40	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5





COMET™

CKS 200, KS2000/40	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041	B1	B2	B5
--------------------	----	----	------------------	-----	----	-----	------------	----	----	----

CRAMER™

82CS15	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041	A1	A2	A5
40CS12	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041	A1	A2	A5
40CS15	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041	A1	A2	A5
40PS	20	8	3/8" LOW PROFILE	1.3	33	B33		B1	B2	B5
82CS25	33	13	.325"	1.3	56	D56	130MLBK041	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK041	D1	D2	D5

CUB CADET™

CC1936, CC2740	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA095	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA095	B1	B2	B5
CC3045, 3352, 3551, 4051, 4256	33	13	.325"	1.5	56	F56	138PXBK095 (1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095 (1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	60		168PXBK095	D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095 (1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5

DEWALT™


DCM565	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041	A1	A2	A5
DCM575N, DCM575X1	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041	A1	A2	A5

DO IT™

CSE 2040/code 78203, YD-KY03-38A, YD-KY05-38A	40	16	3/8" LOW PROFILE	1.3	56	B56		B1	B2	B5
---	----	----	------------------	-----	----	-----	--	----	----	----

DOLMAR™

AS1925Z, AS1925CZ, AS1925RF, AS1925RT2, AS-3731, AS3835, AS3835Z, AS3935Z, AS4030, ES-2, ES-2A, ES-4 A, ES-4A QS, ES-5 A, ES-5A QS, ES-31A, ES-31, ES-32A QS, ES-33A, ES-34 TLC, ES-36A, ES-37 A, ES-37A QS, ES-38A, ES-39 TLC, ES-40A, ES-41A QS, ES-43 TLC, PS-2, PS-3, PS-4, PS-32*, PS-32C*, PS-32 C TLC*, PS-34, PS-36, PS-38A, PS-34*, PS35, PS-45*	30	12	3/8" LOW PROFILE	1.1	46	A46	124MLEA041	A1	A2	A5
	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041	A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041	A1	A2	A5
*Gauge may vary Pole Saw EE-150, Pole Saw ME-246-4, PS-CS1(199930-1)	25	10	3/8" LOW PROFILE	1.3	39	91PX039E	100SDEA218	B1	B2	B5
AS3626, AS3626LGE, AS3726, PS220TH, PS221TH, PS222TH*, PS311TB25, PS311TH30	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041	B1	B2	B5
*Pitch may vary										



DOLMAR™ ./..

100, 100S, 101, 102, 103, 104, 105*, 106, 108*, 275, 285, 290, 295, AS4030ZB, AS4035ZB, ES-3, ES-6 A, ES-6A QS, ES-30, ES-35, ES-40 A, ES-41A QS, ES-42 A, ES-43 TLC, ES-140, ES-151A, ES-152A, ES-152 A QS, ES-153 A, ES-160, ES-161A, ES-162A, ES-162A QS, ES-163A, ES-164 TLC, ES-171A, ES-172A, ES-172A QS, ES-173A, ES-174 TLC, ES-183A, ES-1600, ES-2035A, ES-2035AP, ES-2040A, ES-2130 A, ES-2135A, ES-2135 AP, ES-2136 TLC, ES-2140 A, ES-2140 AP, ES-2141TLC, ES-2141KTLC, PS-2, PS-32*, PS-32 C*, PS-32 C TLC*, PS32C35*, PS33, PS-34*, PS-34S*, PS-35, PS-35 C, PS-35 C TLC, PS35C35, PS35CTLC35, PS-39, PS-39ES, PS41, PS-41QS, PS-45*, PS-45 QS, PS-330, PS-330 QS, PS-340, PS-340 QS, PS-341, PS-341 Happy Start, PS-344, PS-350, PS-350 C, PS-350 SC, PS350SC35, PS-352, PS352-35, PS352TLC35, PS-390, PS-390 QS, PS-400, PS-400 QS, PS-401, PS-401QS Happy Start, PS420SC40, PS-3300TH, PS-3400TH, PS-3410, PS-3410 TH, PS-3410 TH TLC, PS-3410TH30
* Pitch and gauge may vary

PS-410, PS-411, PS-420, PS-420 C, PS-420 SC, PS420SC38, PS420SCKIT38
* Pitch & motor mount may vary

105*, 108*, 110*, 110i, 110iH, 111*, 115*, 115i, ES-1800, PS-460*, PS-500*, PS-500 C*, PS-550*, PS550-38*, PS-4600*, PS-4600S*, PS-4600 SH, PS-4605*, PS-4605 H*, PS-5000*, PS-5000H, PS-5105*, PS-5105 C*, PS-5105 H, PS-5105 CH*, PS-5105CX*, PS-6100*, PS-6100 H
* Pitch & motor mount may vary

109, 109 HappyStart, 110*, 111*, 112*, 115*, 115i, 115iH, 115S45, 116, 116 si, 117, 120, 120 si, PS-43, PS-52, PS-460*, PS460-45*, PS-500*, PS-500 C*, PS500C45*, PS-550*, PS550-45*, PS-4600*, PS-4605*, PS4605-45*, PS-5000*, PS-5000 H, PS-5105*, PS-5105 C*, PS-5105 H, PS-5105 CH*, PS5105C4*, PS5105SCKIT45*, PS-6000i, PS-6000iH, PS-6100*, PS6100-45, PS6100-53, PS-6800i, PS-6800iH,
* Pitch and motor mount may vary

PS-630, PS-6400, PS-6400 H, PS-7300, PS-7300 H, PS-7310, PS7310-50, PS-7310 H, PS-7900, PS-7900 H, PS-7910, PS7910-53, PS-7910 H, PS7910-60PM

30

12

3/8" LOW PROFILE

1.3

46

B46

120SDEA041

B1

B2

B5

35

14

3/8" LOW PROFILE

1.3

52

B52

140SDEA041

(1x) 140SDEA041
(2x) 91P052

B1

B2

B5

40

16

3/8" LOW PROFILE

1.3

56

B56

160SDEA041

(1x) 160SDEA041
(2x) 91P056

B1

B2

B5

45

18

3/8" LOW PROFILE

1.3

62

B62

180SDEA041

B1

B2

B5

33

13

.325"

1.3

56

D56

130MLBK041

D1

D2

D5

38

15

.325"

1.3

64

D64

150MLBK041

D1

D2

D5

45

18

.325"

1.3

72

D72

180MLBK041

D1

D2

D5

33

13

.325"

1.5

56

F56

138PXBK095

(1x) 138PXBK095
(2x) 21BPX056

D1

D2

D5

38

15

.325"

1.5

64

F64

158PXBK095

(1x) 158PXBK095
(2x) 21BPX064

D1

D2

D5

40

16

.325"

1.5

66

F66

168PXBK095

D1

D2

D5

45

18

.325"

1.5

72

F72

188PXBK095

(1x) 188SFGK095
(2x) 21BPX072

D1

D2

D5

38

15

3/8"

1.5

56

73DPX056E

158SLHK153

K1

K2

K5

45

18

3/8"

1.5

64

73DPX064E

188SLHK153

K1

K2

K5

50

20

3/8"

1.5

72

L72

K1

K2

K5

38

15

3/8"

1.5

56

73DPX056E

158SFHD009

(1x) 158SFHD009
(2x) 73DPX056

K1

K2

K5

45

18

3/8"

1.5

68

L68

188SFHD009

(1x) 188SFHD009
(2x) 73DPX068

K1

K2

K5

50

20

3/8"

1.5

72

L72


208SFHD009

(1x) 208SFHD009
(2x) 73DPX072


K1

K2

K5




DYNAMAC™											
DY36, DY19E	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
DY51/46	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
ECHO™											
PPF-225*, PPT-280*, PPT-2620ES*, PPT-2620HES*	30	12	3/8" LOW PROFILE	1.1	44	A44			A1	A2	A5
*Gauge may vary	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
CS-310ES*, CS-352AC, CS-352ES*, CS-3510AC*, CS-3510ES*, DCS-310, DCS-3500, ECCS-58V, DCS58V, DCS-1600	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
*Gauge may vary	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5
PPF-225*, PPF-236ES, PPT-236ES, PPT-265ES, PPT-266, PPT-280*, PPT-300ES, PPT-2620ES*, PPT-2620HES*	25	10	3/8" LOW PROFILE	1.3	39		100SDEA041		B1	B2	B5
*Gauge may vary	30	12	3/8" LOW PROFILE	1.3	44	B44			B1	B2	B5
CS-260T, CS-260TES, CS-270WES, CS-280T, CS-280TES, CS-281WES, CS-2510TES, CS-2511TES, CS-2511WES, DCS-2500T	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	47				B1	B2	B5
CS-285EVL, CS-290EVL, CS-300EVL, CS-302, CS-303, CS-303T, CS-310ES*, CS-315, CS-320T, CS-320TES, CS-320EVL, CS-328, CS-330EVL, CS-340, CS-341, CS-345, CS-350T, CS-350TES, CS-350WES, CS-351WES, CS-352AC, CS-352ES*, CS-353ES, CS-360TES*, CS-360EVL *, CS-360WES, CS-361WES, CS-362TES, CS-362WES*, CS-370ES*, CS-1800, CS-2000, CS-2400, CS-2600, CS-2800, CS-2900, CS-3000, CS-3050, CS-3400, CS-3450, CS-3500, CS-3510AC*, CS-3510ES*, CS-3510L, CS-4400, E155, ECS-150/1850FT, ECS-2000, ECS-3000, ECS-3050	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	47				B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
*Pitch and/or Gauge may vary by year	40	16	3/8" LOW PROFILE	1.3	58				B1	B2	B5
	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2	D5
CS-390ESX, CS-4200ES, CS-4310SX	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK041		D1	D2	D5
	33	13	.325"	1.3	56	D56	130MLBK095	(1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
CS-4510ES-NC	38	15	.325"	1.3	64	D64	150MLBK095	(1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5



ECHO™ /. .											
CS-360EVL*, CS-370ES*, CS-400EVL, CS-420ES, CS-421ES, CS-440EVL, CS-450**, CS-452ESX, CS-490ES, CS-500ES, CS-501SX, CS-501SXH, CS-510, CS-525, CS-550**, CS-3600, CS-3700, CS-3700ES, CS-3900, CS-4000, CS-4010, CS-4050, CS-4200, CS-4400, CS-4500, , CS-4600, CS-4601, CS-4610, CS-5000, CS-5100 * Pitch and/or gauge may vary by year ** Motor mount may vary by year	33	13	.325"	1.5	56	F56	138PXBK041		D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK041		D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK041		D1	D2	D5
	45	18	.325"	1.5	72	F72	188VXLGK041		D1	D2	D5
CS-450**, CS-550**, CS-4510ES ** Motor mount may vary by year	33	13	.325"	1.5	56	F56	138PXBK095 (1x) 138PXBK095 (2x) 21BPX056		D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095 (1x) 158PXBK095 (2x) 21BPX064		D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095 (1x) 188SFGK095 (2x) 21BPX072		D1	D2	D5
CS-590, CS-600, CS-600S, CS-605, CS-610, CS-620SX, CS-621SX, CS-680, CS-680S, CS-7310SX, CS-8002	45	18	3/8"	1.5	68	L68	188SFHD009 (1x) 188SFHD009 (2x) 73DPX068		K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD009 (1x) 208SFHD009 (2x) 73DPX072		K1	K2	K5
ED JOHNSON™											
M1L-KW08-405-1	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
EFCO™											
EP 90, EP 100, EP 120, PTX 2700, PTX 2710	25	10	3/8" LOW PROFILE	1.1	39		104MLEA318		A1	A2	A5
EF 15E, MTi 30	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
PTH 2500	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
MT 2200 Li-ion, MTT 3600	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2	B5
MTT 2500*, MT 2600* * Pitch may vary	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
EF 17E, EF 19E	35	14	3/8" LOW PROFILE	1.3	50	B50	140SDEA041		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
125, 131, 132, 132 S, 132 SK, 137, 141S, MT 350, MT 350S, MT 371, MTH 400, MTH 402, MT 411*, MT 1800 E, MT 2000 E, MT 3500, MT 3500S, MT 3700, MT 3710*, MTH 4000, MT 4100S, MT 4110* * Pitch may vary	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
114E, 115, 116E, 117E, 119, 134, 135, 136, 140, 140S	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA129		B1	B2	B5
	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK041		D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK041		D1	D2	D5





EFCO™ ./. .



MTH 510*, MTH 560*, MTH 5100*, MTH 5600* *Pitch and/or gauge may vary	33	13	.325"	1.3	56	D56	130MLBK095	(1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095	(1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK095		D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5
142, 146, 147, 151, 152*, 156*, 162*, 165, MTH 510*, MTH 560*, MTH 5100*, MT 5200, MTH 5600*, MT 6300* *Pitch and/or gauge may vary	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
	50	20	.325"	1.5	78	F78	208PXBK095		D1	D2	D5
152*, 156*, 162*, MTH 510*, MTH 560*, MTH 5100*, MTH 5600*, MT 6300* *Pitch and/or gauge may vary	45	18	3/8"	1.5	68	L68	188SFHK095		K1	K2	K5
	50	20	3/8"	1.5	72	L72	208VXLHK095		K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHD009	(1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
165 HDS, MT 6500, MT 6510,	50	20	3/8"	1.5	72	L72	208SFHD009	(1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5
	45	18	3/8"	1.5	68	L68			K1	K2	K5
MT 7200, MT 8200	50	20	3/8"	1.5	72	L72	208SFHD024		K1	K2	K5

EGO™

PSA1000, PSX2500	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2	A5
CS1400, CS1400E, CS1600, CS1601E, CS1610E, CSX3000	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5
CS1800E, CS1801E	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5


EINHELL™




BG-EC 620T, FORTEXXA 18/20 TH, GC-LC 1815T, GC-EC 7520 T, GC-LC 18/20 Li T, GE-EC 720T, GE-HH18/45 Li T	20	8	3/8" LOW PROFILE	1.1	33	A33	084MLEA041		A1	A2	A5
GE-CL 18 Li, GE-LC 18 Li, GE-LC 18/25 Li FORTEXXA 18/30, GE-LC 36/35 Li, GP-LC 36/35 Li	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2	A5
	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5
GC-EC 750 T Kit, GC-LC 750 T Kit, GE-HC 18 Li T, GE-LC 18 Li T	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
GC-MM 52 IAS	25	10	3/8" LOW PROFILE	1.3	39	91PX039E	100SDEA041		B1	B2	B5
EK 1535, EK 1540, KSE 1640, KSE 1435, KSE 2000, PES 30/2, PES 34/2, PES 34/3, PES 35, PES 35/2TS, PES 35/3, PES 35/3TS, PES 40/3, PES 1540, PES 1640, PES 2000, PKS 35/1AV, PKS 40/1AV	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
BKS 38-35, MKS 35/35	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
BG-PC 1235, BG-PC 3735, GC-EC 1935, GC-PC 1235, GC-PC 1335, GC-PC 1435 ITC, GH-EC 1835, RBK 3735	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5



EINHELL™ ./.											
BG-PC 1235, GC-PC 1235 I, GC-PC 1335/11, GH-PC 1535TC	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041			B1	B2 B5
MKS 38/41, MKS 1940, RBK 1440	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318			B1	B2 B5
PES 1640/1, PES 1740, PES 1840/1	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318			B1	B2 B5
GC-PC-2040, GE-EC 2240, GH-EC 2040, GH-EC 2240	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056		B1	B2 B5
BG-EC 1840, BG-EC 2040, BG-PC 4040, EKS 1840, EKS 2040 P, GC-EC 2040, GC-PC 2040 I, KSE 2000, KSE 2040WK, PEK 1840, PKS 1635, PKS 1840, PKS 2040WK, Pro Work PEK 1840, RBC 4640, RBK 4040, REK 2040WK, REK 2048, REK 1840, RG-EC 2240S, SCS 2000	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041			B1	B2 B5
EKS 1845, MKS 38/45, MKS 42/45, RBK 1745	45	18	3/8" LOW PROFILE	1.3	60	91P060E				B1	B2 B5
PKS45/1AV, PKS50/1AV	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056		D1	D2 D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064		D1	D2 D5
	40	16	.325"	1.5	66	F66	168PXBK095			D1	D2 D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072		D1	D2 D5
BG-PC5045, RBK 4645, RBK 5045	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072		D1	D2 D5
ELECTROLUX™											
EL1750-14, ESV1914	35	14	3/8" LOW PROFILE	1.3	50	B50	140SDEA318			B1	B2 B5
2115	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052		B1	B2 B5
ERBAUER™											
HCS128T	30	12	.325" LOW PROFILE	1.1	51	N51	124TXLNA041			B1	B2 B5
ECSP41	40	16	.325" LOW PROFILE	1.1	64	N64	164TXLNA041			B1	B2 B5
ECSG18-Li	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041			A1	A2 A5
ECSG3640-Li	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041			A1	A2 A5
EMT36-Li	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041			B1	B2 B5
E6MTP46	25	10	3/8" LOW PROFILE	1.3	40	B40				B1	B2 B5
HCS145	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072		D1	D2 D5
ECSP51	50	20	.325"	1.3	78	D78	200TXLBK095			D1	D2 D5
ERGO-TOOLS™											
E-EAS620	20	8	3/8" LOW PROFILE	1.1	33	A33				A1	A2 A5
FEAS6020T Pole Saw	20	8	3/8" LOW PROFILE	1.3	33	B33				B1	B2 B5
E-KS2035	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052		B1	B2 B5
FEKS2040	40	16	3/8" LOW PROFILE	1.3	57	B57				B1	B2 B5
FARMER™											
MKS 350	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318			B1	B2 B5
MKS360, MKS 360W	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041			B1	B2 B5
FERREX™											
FS-AKS 4030	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045		B1	B2 B5








GARDOL™										
GETS-E-710 Kit	20	8	3/8" LOW PROFILE	1.1	33	A33		A1	A2	A5
Pole Saw GASI 24-20, GETS-E-710 Kit, GHH-E20 Li, GATS-E 20 Li	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041	B1	B2	B5
GPS 182B	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA318	B1	B2	B5
GMSE 1335, GMSE 1535	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041	B1	B2	B5
GEK-E 2240	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5
GEK125-40 PRO, GMS-E-40EV	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041	B1	B2	B5
GMS-E_45EV, GMSE 2245	45	18	.325"	1.5	72	F72	188PXBK095	D1	D2	D5
GO/ON™										
PC1800 Watt, EKS1835/2, TESG1835	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041	B1	B2	B5
EK1800	40	16	3/8" LOW PROFILE	1.3	57	B57		B1	B2	B5
GREENLINE™										
G-36	35	14	3/8" LOW PROFILE	1.3	52	B52		B1	B2	B5
GREENWORKS™										
Pole Saw 20107	20	8	3/8" LOW PROFILE	1.1	33	A33	084MLEA041	A1	A2	A5
GD40CS15 (CSF403), GD48CS36 (CSE402)	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041	A1	A2	A5
GD40CS18, GD40CS40* * Gauge may vary and be 1.3mm	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041	A1	A2	A5
G24PS20, G40PS20, G40PSF (20157), G48PS (PSE302), GPS7220	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041	B1	B2	B5
G24CS25	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041	B1	B2	B5
	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041	B1	B2	B5
G40CS30, GCS1840, GCS2046, GD24CS30, GD40CS40*, GD60CS40, GD80CS50, GPS7220, 1800W 20027	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5
* Gauge may vary and be 1.1mm	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041	B1	B2	B5
GRIZZLY™										
EKS1800-40, EKS1800-40-i, EKS1800-40I, Parkside EKS1650	40	16	3/8" LOW PROFILE	1.1	55			A1	A2	A5
EKS610T, KSHS710-500	20	8	3/8" LOW PROFILE	1.3	33	B33		B1	B2	B5
Pole Saw 550 Watt, Art-Nr: 75010036, AKS2040	25	10	3/8" LOW PROFILE	1.3	40	B40		B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	44	B44		B1	B2	B5
BKS35-32cc	35	14	3/8" LOW PROFILE	1.3	50	B50		B1	B2	B5
BKS35-14, EKS1600, EKS1800, MKS350	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	50	B50		B1	B2	B5
PKS360, PKS390	40	16	3/8" LOW PROFILE	1.3	56	B56		B1	B2	B5
BKS35N, BKS35-38cc, Farmer MKS360	35	14	3/8" LOW PROFILE	1.3	50	B50		B1	B2	B5
PKS35	35	14	3/8" LOW PROFILE	1.3	52	B52		B1	B2	B5
BKS350, BKS351, EKS1835-2, EKS1600/7, EKS1600/8, EKS1600/9, EKS1835/2, EKS1835QT	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	53	B53		B1	B2	B5
BKS400	40	16	3/8" LOW PROFILE	1.3	57	B57		B1	B2	B5
BKS38-16	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318	B1	B2	B5
EKS1650	40	16	3/8" LOW PROFILE	1.3	55	B55		B1	B2	B5





GRIZZLY™ ./..

EKS 2000, EKS 2000 QT, EKS 2500/5, EKS 2500, EKS 2500 QT, EKS 2500/5, EKS 2500/5 QT, PKS 2000/4, PKS 40, PKS 40/3, KS 400I, KSE 400TL, KSE 400TL, PKS 2000/4	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5
BKS 35-38cc, BKS 35-40cc, EKS Elektra 170, EKS 1700, EKS 1700-40, EKS 1800, EKS 1800-40, P390	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
PKS 40/5	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
Comet CKS 2000, EKS 2440 QT, Florabest FKS 2200/10, Parkside PKS 40/5, PKS 40/5, EKS 1835 QT, EKS 1800-40, EKS 1850, EKS 1850/1, EKS 200/40, EKS 2000/6, EKS 2000/6 QT, EKS 2000/8, EKS 2000/8 QT, EKS 2200 QT, BKS 400	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
BKS 35-40cc	45	18	3/8" LOW PROFILE	1.3	60				B1	B2	B5
BKS 450-8	40	16	.325"	1.5	66	F66			D1	D2	D5

GÜDE™

GAK 600	20	8	3/8" LOW PROFILE	1.1	33	A33			A1	A2	A5
E-KS 350 E	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
KS 350 E, KS 350 B	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2	B5
K 450 B, E-KS 400, E-KS 401 E	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
KS 450-53	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA095		B1	B2	B5
K 400 B	40	16	.325"	1.5	66	F66			D1	D2	D5

HANDY POWER™

HP 35 TT, HANDY P.35 CC EPA 2	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
HP 1400 TE 1400 W	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5

HANSEATIC™


EKS 1640	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
----------	----	----	------------------	-----	----	------------	-------------------	--	----	----	----

HERKULES™

HHEK 18-35/1	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
36/35, HHEK 22-40, PKS 1840, 18/41, 39/41, P 352	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
41 / 41 AB 2003	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
MKS 42-45	45	18	3/8" LOW PROFILE	1.3	60				B1	B2	B5
MKS 4048, P 372	40	16	.325"	1.3	66	D66			D1	D2	D5
41 / 41	40	16	.325"	1.5	66	F66			D1	D2	D5
49 / 46	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5


HITACHI™

CS25EPBS	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2	A5
CS25EC S	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
CS280A, CS280B, CS350A, CS350B	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
CS30EC S, CS30EGS, CS30EHS, CS30EJ, CS33EB, CS33ET	30	12	3/8" LOW PROFILE	1.3	45	B45			B1	B2	B5




HITACHI™ ./..											
CS35EGS, CS35EHS, CS35EJ	35	14	3/8" LOW PROFILE	1.3	52	B52				B1	B2 B5
	33	13	.325"	1.3	56	D56	130MLBK041			D1	D2 D5
CS33EL, CS33SP, CS38EK, CS38EL, CS40, CS40EAP/38, CS40EK, CS40EL, CS45EK, CS45EL, CS51EA, CS51EAP	38	15	.325"	1.3	64	D64	150MLBK041			D1	D2 D5
	40	16	.325"	1.3	66	D66	160MLBK041			D1	D2 D5
	45	18	.325"	1.3	72	D72	180MLBK041			D1	D2 D5
CS40EM, CS40SM	40	16	.325"	1.5	66	F66				D1	D2 D5
CS45EM	45	18	.325"	1.5	72	F72				D1	D2 D5
HM-MUELLER™											
EKS1800CE	40	16	3/8" LOW PROFILE	1.3	57	B57				B1	B2 B5
HOPEM™											
1302, 140Z, 142Z	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045		B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041			B1	B2 B5
K1, K2, K3, K2 Super	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056		D1	D2 D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064		D1	D2 D5
	40	16	.325"	1.5	66	F66				D1	D2 D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072		D1	D2 D5
HORNBAACH™											
PWR1800CSC, PP1800TE	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041			B1	B2 B5
HURRICANE™											
Pole Saw HESI 750-1	20	8	3/8" LOW PROFILE	1.1	33	A33				A1	A2 A5
HAKS-I-4035	35	14	3/8" LOW PROFILE	1.1	52	A52				A1	A2 A5
GPS 70B	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA318			B1	B2 B5
MKS 3, MKS 38/35	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318			B1	B2 B5
36/35, HEK18-35, HEKE18-35/1, HEKE 22-40, GEK-2240	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052		B1	B2 B5
MS1235/1, MS1235/2	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041			B1	B2 B5
MS1235/2, HMS-E35V	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041			B1	B2 B5
PS40, PS400, MKS 38/41	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318			B1	B2 B5
ES2040S	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318			B1	B2 B5
MKS 21/40	40	16	3/8" LOW PROFILE	1.3	55	B55				B1	B2 B5
HEKA20-40, HEKA24-40, HHEK24-40, PS2000-40E	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041			B1	B2 B5
MKS 42/45	45	18	3/8" LOW PROFILE	1.3	60		180SDEA318			B1	B2 B5
MS2245	45	18	.325"	1.5	72	F72				D1	D2 D5
HUSQVARNA™											
330i*, 535i XP**, T535i XP**, 540i XP, T540i XP	30	12	.325" LOW PROFILE	1.1	51	N51	124TXLNA095			B1	B2 B5
* Pitch and gauge may vary											
** from 2020	40	16	.325" LOW PROFILE	1.1	64	N64	164TXLNA095			B1	B2 B5
330i*, 436Li, 535i XP**, T535i XP**, 536 Li XP, T536Li XP, 120i, 136i	25	10	3/8" LOW PROFILE	1.1	40	A40	104MLEA095			A1	A2 A5
* Pitch and gauge may vary	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA095			A1	A2 A5
** Until 2019. Pitch & gauge may vary.	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA095			A1	A2 A5
323P4*, 325P5X*, 327P4*, 327P5X*, 136Li	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA095			A1	A2 A5
* Gauge may vary depending on year											





HUSQVARNA™ ./. .

323P4*, 325P5X*, 327P4*, 327P5X* * Gauge may vary depending on year	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA095		B1	B2	B5
	20	8	3/8" LOW PROFILE	1.3	32				B1	B2	B5
325P4X, T425	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
120, 120 II, 120 MARK II, 130, 135, 135e, 135 II, 135 MARK II, 140, 236**, 236e*, 240, 240e*, 315, 315e, 315 EL, 317(1700W), 317 EL (1700W), 321(2000W), 321 EL (2000W), 333, 334, 334T, 335XPT, 338XPT, 340i, 418 EL, 420 EL, T435, T525, 525P4S, 525P5S, T540 XP, T540 XP II, 1400 EL, 1600 EL * Until year 2009 (A095) ** Chain pitch may vary by year	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA095		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA095		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA095		B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	60		180SDEA095		B1	B2	B5
E16, 136**, 137**, 141**, 142**, 235**, 236e*, 240**, 240e*, 243, 250PS, E316, 439 * From year 2010 (A041) ** Chain pitch may vary by year	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056		B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
33, 36, 40, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 134, 136**, 137 e-series**, 141**, 142 e-series**, 234, 235**, 236**, 238, 240**, 242, 242 XP, 246, 254 XP, 257, 261, 262, 336, 339XP, 340, 340 e-series, 345, 345 e-series, 346, 346XP/XPG, 350, 351, 353, 357**, 357XP/XPG**, 359**, 360, 362 XP**, 362XPG** 435, 435e, 435 II, 435e II, 435 e-series, 440, 440e, 440 II, 440e II, 440 e-series, 444, 445, 445e, 445 II, 445 e-series, 450, 450e, 450 e-series, 450 II, 450e II, 450 RANCHER, 455 RANCHER, 455e RANCHER, 455 RANCHER II, 455e RANCHER II, 455 e-series RANCHER, 460, 460 RANCHER, 535FBX (clearing saw), 543XP/XPG, 545, 545 MARK II, 550XP/XPG, 550 XP MARK II, 550 XP TrioBrake, 555, 560 XP, EL16, E1400, 1400E, 1500E, E1600, 1600E ** Chain pitch may vary by year	33	13	.325"	1.3	56	D56	130MLBK095 (1x) 130MLBK095 (2x) 95TXL056		D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095 (1x) 150MLBK095 (2x) 95TXL064		D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK095		D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095 (1x) 180MLBK095 (2x) 95TXL072		D1	D2	D5
	50	20	.325"	1.3	78	D78	200TXLBK095		D1	D2	D5
33, 36, 40P, 41, 42, 44, 49, 50, 55**, 57, 133, 134, 136**, 137**, 140**, 141**, 142**, 142 e-series, 154, 234, 235, 238, 240**, 242, 242XP/XPG, 246, 246XP/XPG, 254**, 254XP/XPG**, 257**, 261**, 262**, 262XP/XPG**, 339XP, 340, 340e series, 353, 359, 360, 362 XP**, 362XPG**, 365, 435, 435e, 435 II, 435e II, 440e, 444, 445, 445e, 450, 450e, 450 II, 450e II, 455, 455 RANCHER, 455 RANCHER II, 455e RANCHER, 455e RANCHER II, 460, 460 RANCHER, 535FBX, 543XP/XPG, 545, 545 II, 545 MARK II, 550XP/XPG, 550 XP II, 550 XP Triobrake, 550 XP MARK II, 555, 560, 560XP/XPG, 562XP/XPG, 576XP/XPG, EL16, EL1200, EL1400, EL1500, EL1600 ** Chain pitch may vary by year Note: many saws fitted in .325 / 1.5mm (21) can be converted to SpeedCut narrow kerf .325 / 1.3mm (95) cutting system. In such a case, both the bar and chain have to be changed	33	13	.325"	1.5	56	F56	138PXBK095 (1x) 138PXBK095 (2x) 21BPX056		D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095 (1x) 158PXBK095 (2x) 21BPX064		D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095 (1x) 188SFGK095 (2x) 21BPX072		D1	D2	D5
	50	20	.325"	1.5	78		208PXBK095		D1	D2	D5



HUSQVARNA™ ./..

55**, 55 RANCHER, 154, 254**, 254 XP/ XPG**, 257**, 261**, 262**, 262 XP/XPG**, 357, 357 XP/XPG, 359, 362 XP/XPG**, 455, 455 RANCHER, 455e Rancher, 455e RANCHER II, 455 RANCHER II, 460, 460 RANCHER, 465 RANCHER, 545, 550, 550 XP, 555, 560 XP/ XPG ** Chain pitch may vary by year	38	15	3/8"	1.5	56				K1	K2	K5
	40	16	3/8"	1.5	60				K1	K2	K5
	45	18	3/8"	1.5	64				K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHK095		K1	K2	K5
	45	18	3/8"	1.5	68	L68			K1	K2	K5
	50	20	3/8"	1.5	72	L72			K1	K2	K5
	60	24	3/8"	1.5	84				K1	K2	K5
61, 65, 66, 70, 77, 160, 162, 181, 185, 254, 254XP/XPG, 260, 266, 266XP, 268, 268XP, 272, 272XP/XPG, 281, 281XP, 285, 288, 288XP, 298, 298XP, 362XP**, 362 XPG**, 365, 365 XP, 371, 371XP/XPG, 372XP/XPG, 380, 385XP, 390XP, 390XPG, 394, 394XP/XPG, 395, 395XP/XPG, 455, 480, 545, 555, 560XP/XPG, 562XP/XPG, 565, 570 XP, 572 XP, 575 XP, 576XP/XPG, 585, 592 XP, 1100, 2100, 2101, 2100XP, 2101XP, 3120, 3120XP ** Chain pitch may vary by year	38	15	3/8"	1.5	56	73DPX056E	158SFHD009	(1x) 158SFHD009 (2x) 73DPX056	K1	K2	K5
	40	16	3/8"	1.5	60		168SFHD009		K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHD009	(1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD009	(1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5

HYUNDAI™

CS350158Li	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
------------	----	----	------------------	-----	----	-----	------------	--------------------------------	----	----	----

IKRA™

Pole Saw BAS3018, BAS3020	20	8	3/8" LOW PROFILE	1.1	33	A33			A1	A2	A5
IEAS 750	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
KS 1200-B/30, 35, KS 1400-B/40	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
Shark 1300, KS 1400-TS/30, 35, 40; KS 1500-T/35, 40; KS 1500-TS/35, 40; KS 1600-TS/40, 45; KS 1800-40CK, KS 1800TS-45, EKS-30, 35, 40; MKS 35, 40, IECS1835, IECS2240	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
KSE2400-35	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
EKS 1500-35, BKS 4135, KSE2000-35, KSI1800-35, KSI1600-35, KSI1800, KSI1800-40	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
PKS 4240	40	16	3/8" LOW PROFILE	1.3	55	B55			B1	B2	B5
BKS 4141	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
KSB3940, KSE2000, KSE2400-40, KSI2000, KSI2000-40, KSI2200	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
Top Craft EKS 1700	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
KSI1600-40, KSI1800-40, PKS 1635, PKS 1840, Swing 1840, PKS 4645, KSE2000-40, KSE2540LA	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
KSE2400, KSE2400-45, KSE2000-45, KSE2150	45	18	3/8" LOW PROFILE	1.3	62	B62			B1	B2	B5
KSB 4945	45	18	.325"	1.3	72	D72			D1	D2	D5
BKS 5146	45	18	.325"	1.5	72	F72			D1	D2	D5


JATT™

YT4653	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
YT4774	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5

JENN FENG™

AC310114-35	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
-------------	----	----	------------------	-----	----	-----	------------	--	----	----	----






JOLLY™

40 Garden Ranger	40	16	3/8" LOW PROFILE	1.3	56	B56		B1	B2	B5
------------------	----	----	------------------	-----	----	-----	--	----	----	----


JONSERED™

370, 380, 2035, 2036 **, 2040 **, CS 2115EL, CS 2116EL, CS 2117EL, CS 2118EL, CS 2121EL, 2135, 2135T, 2138, 2139T, 2234 *, 2236T, 2238 *, 2238S * Until year 2009 ** Model exist in more than one chain pitch	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA095	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA095	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA095	B1	B2	B5
2033TH, 2137, 2138, 2234 *, 2238 *	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045	B1	B2	B5
* From year 2010	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041	B1	B2	B5
EL14, 45, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 452, 455, 490, 520, 525, 535, 590, 2012, 2014, 2015, 2016, 2036 **, 2040 **, 2041, 2045, 2050, 2051, 2054, 2055, 2063, CS 2141, CS 2145, CS 2147, CS 2149, CS 2150, CS 2152, CS 2153, CS 2156, CS 2159, CS 2163, CS 2240, CS 2240 II, CS 2240S, CS 2240S II, CS 2245, CS 2245S, CS 2245S II, CS 2250S, CS 2250S II, CS 2252, CS 2253, CS 2255, CS 2258, CS 2260 ** Model exist in more than one chain pitch	33	13	.325"	1.3	56	D56	130MLBK095 (1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095 (1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK095	D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095 (1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5
	50	20	.325"	1.3	78	D78	200TXLBK095	D1	D2	D5
EL1200, EL14, 45, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 452, 455, 490, 510, 520, 525, 535, 590, 2012, 2014, 2015, 2036 **, 2040 **, 2041, 2045, 2050, 2051, 2054, 2055, 2063, CS 45E, CS 52E, CS 451, CS 2137, CS 2141, CS 2145, CS 2147, CS 2149, CS 2150, CS 2152, CS 2153, CS 2156 **, CS 2159 **, CS 2163 **, CS 2240, CS 2245, CS 2250, CS 2252, CS 2253, CS 2255, CS 2258, CS 2260 ** ** Model exist in more than one chain pitch	33	13	.325"	1.5	56	F56	138PXBK095 (1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095 (1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66		D1	D2	D5
Note: many saws fitted in .325 / 1.5mm (21) can be converted to SpeedCut narrow kerf .325 / 1.3mm (95) cutting system. In such a case, both the bar and chain have to be changed	45	18	.325"	1.5	72	F72	188PXBK095 (1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
	50	20	.325"	1.5	78	F78	208PXBK095	D1	D2	D5
CS 2156 **, CS 2159 **, CS 2163 **, CS 2260 ** ** Model exist in more than one chain pitch	38	15	3/8"	1.5	56	73DPX056E	158VXLHK095	K1	K2	K5
	40	16	3/8"	1.5	60		168VXLHK095	K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHK095	K1	K2	K5
	50	20	3/8"	1.5	72	L72	208VXLHK095	K1	K2	K5
	60	24	3/8"	1.5	84			K1	K2	K5
625, 630, 670, 670 Champ, 670 Super, 2065, 2071, 2077, 2083, 2094, 2095, 2165, 2171, 2172, 2186, 2188	38	15	3/8"	1.5	56	73DPX056E		K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHD009 (1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD009 (1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5
60, 92, 66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 621, 751, 801, 820, 830, 910E, 920, 930, 941	45	18	3/8"	1.5	68	L68		K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD024	K1	K2	K5
KING CRAFT™										
BKS 4135, KSE 2000-35	35	14	3/8" LOW PROFILE	1.3	52	B52		B1	B2	B5
BKS 400-2,2	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318	B1	B2	B5
BKS 4141, KSI 2000-40	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5
EKS 1600-40, EKS 1750 ab 6/2002, EKS 1800-40, KS 2000TF-40, KS 2000TS-40, KSE 2000-40, KSI 2000-40, KSI 2200, 1800/40	40	16	3/8" LOW PROFILE	1.3	57	B57		B1	B2	B5



KING CRAFT™ ./..											
1920	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
KS 2000TF-45, KS 2000TS-45, KSE 2000-45	45	18	3/8" LOW PROFILE	1.3	62	B62			B1	B2	B5
BKS 5146	45	18	.325"	1.5	72	F72			D1	D2	D5
KINZO™											
1,2 KW, Garden Power 35cm	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
Garden Power 1600 Watt	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
1,5 KW	40	16	.325"	1.5	66	F66			D1	D2	D5
LANDXGAPE™											
Positec LX302 2400W	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
LEROYSOMER™											
TLS1412, TLS1530, TLS1614, TLS1616, TLS1635, TLS1716, S2025 SFN 1600W	30	12	3/8" LOW PROFILE	1.3	45	B45			B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	50	B50			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
S2027 SFN 2000W	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
LIDL™											
Pole Saw Florabest 550 Watt	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
Florabest FKS2200/10	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
LUX™											
A-KS-2420	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
AKS184/20, BAS 34/20, B-HS SET, B-HS plus Set, E-AS 710/20, A-AS 18Li/20, AKS18Li/20, EAS 600/20, EAS 18Li20, A-HS18Li Set	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
EKSL 2200-40, EKS 2400-40, E-KSL-2200/40, E-KS 2200/40L, B-KS 40, 1-40, EKS2400-40	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
BKS 46, 4-45	45	18	3/8" LOW PROFILE	1.3	61	B61			B1	B2	B5
BKS 42/45, BKS 46/45 plus, BKS 46/45, BKS 46, 4-45, B-KS/45plus	45	18	.325"	1.3	72	D72			D1	D2	D5
MAC ALLISTER™											
MPS750S-2, FPPS710, M4MTP25-2, TTK587GDO	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
M4MTP33, M4MTP33-BP	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
MCSP25, FPCSP25-1, MCSWD25-2	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2	B5
Mac 25TT	30	12	3/8" LOW PROFILE	1.3	45	B45			B1	B2	B5
MCSWD25, MCSP25, MCSWP40, MCSWP40S, MCSP36, MCS36-Li-E	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2	B5
MCSWP1800S, FPCS1800A, FPCSP38, FPCSP38-1	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2	B5
MCSWP37-2	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
MAC 2200W	40	16	3/8" LOW PROFILE	1.3	55	B55			B1	B2	B5
FPCSP45	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA095		B1	B2	B5
MCSWP2000S, MCSWP2000S-2, TTB355CHN	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056		B1	B2	B5
Mac 2000 TEL2000W, MCSP40, MCSWP40, MCSWP40S, Inline FPCS2000, Mac 2240, MEKS 2240, MCSWP40-2	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
MC2000, MCS2000	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
Mac 2000 TE 45-2000W, Mac 38TT45	45	18	3/8" LOW PROFILE	1.3	60		180SDEA318		B1	B2	B5
MCSWP45A, MCSWP45-2	45	18	3/8" LOW PROFILE	1.3	61	B61	180SDEA095		B1	B2	B5
MCS2400	45	18	3/8" LOW PROFILE	1.3	62	PS62E	180SDEA041				
MCSWP2400S, MCSWP2400S-2, M-4545CSP	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
Mac 2150-45, MCSWP45, MCSP45	45	18	3/8" LOW PROFILE	1.3	62	B62			B1	B2	B5






MAC ALLISTER™ ./..

Mac 45TT	42	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
Mac 50CC	50	20	.325"	1.5	78	F78			D1	D2	D5
MCSWP50, TTL760CHN	50	20	.325"	1.5	78	F78	208PXBK095		D1	D2	D5

MAKITA™

UC002G**, UC003G**, UC004G**, UC005G**, UC007G**, UC010G**, UC011G**, UC012G**, UC013G**, UC014G**, UC015G**, UC016G**, UC017G** **Pitch and gauge may vary	30	12	.325" LOW PROFILE	1.1	51	N51	124TXLNA041		B1	B2	B5
DUA300Z**, DUA301Z**, UA004G** **Pitch and gauge may vary	40	16	.325" LOW PROFILE	1.1	64	N64	164TXLNA041		B1	B2	B5
BUC300, DCS 34, DUC254RF, DUC254RT2, DUC254Z, DUC300, DUC302, DUC302Z, DUC307, DUC357, DUC407 DUC353Z*, DUC353RF2*, DUC355Z, EA3200S*, EA3201S*, EA3202S*, EA3203S*, EA3500S*, EA3501S*, EA3502S*, EA3503S*, UC002G**, UC003G**, UC004G**, UC005G**, UC007G**, UC010G**, UC011G**, UC012G**, UC013G**, UC014G**, UC015G**, UC016G**, UC017G**, UC300D, UC3010A, UC3020A*, UC3040A*, UC3041A*, UC3510A, UC3520A*, UC3540A*, UC3541A*, UC3551A*, UC4010A, UC4020A*, UC4040A*, UC4041A*, UC4051AK * Gauge may vary and be 1.3mm **Pitch and gauge may vary	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2	A5
DUA300Z**, DUA301Z**, UA004G** **Pitch and gauge may vary	30	12	3/8" LOW PROFILE	1.1	46	A46	124MLEA041		A1	A2	A5
3500A, 4000A, 5012B, BUC250, BUC250RDE, BUC250Z, DCS33, DCS34, DCS221TH, DCS230T, DCS231T, DCS232T, DCS330TH, DCS330/S, DCS340, DCS341, DCS344, DCS350, DCS380, DCS390, DCS400, DCS401, DCS2501, DCS3400, DCS3400TH, DCS3410, DCS3410TH, DCS3500, DCS3501, DCS4300i, DCS4610, DES300, DES330S, DES340, DES341, DES350, DES380, DES390, DES400, DES401, DUC252, DUC252PM4, DUC252RM2, DUC252Z, DUC353Z*, DUC353RF2*, DUC254, DUC306PT2B, DUC306ZB, DUC356PT2B, DUC356ZB, EA3100T, EA3110T, EA3200S, EA3200S, EA3200S*, EA3201S*, EA3202S*, EA3203S*, EA3500F, EA3500S*, EA3501F, EA3501S*, EA3502S*, EA3503S*, EA3600F, EA3601F, EA3700T, EA4300F, UA004G**, UC002G**, UC003G**, UC004G**, UC005G**, UC007G**, UC010G**, UC011G**, UC012G**, UC013G**, UC014G**, UC015G**, UC016G**, UC017G**, UC250D, UC3001A, UC3020A*, UC3030A, UC3040A*, UC3041A*, UC3050A, UC3051A, UC3501A, UC3520A*, UC3530A, UC3530AP, UC3540A*, UC3541A*, UC3550A, UC3551A*, UC4001A, UC4020A*, UC4030A, UC4030AP, UC4040A*, UC4041A*, UC4050A, UC4051A, UC4530A, UC4530AP, UC4550A, UC4551A, VC3000A * Gauge can vary and be 1.1mm **Pitch and gauge may vary	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
DUA300Z**, DUA301Z**, UA004G** **Pitch and gauge may vary	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5
3500A, 4000A, 5012B, BUC250, BUC250RDE, BUC250Z, DCS33, DCS34, DCS221TH, DCS230T, DCS231T, DCS232T, DCS330TH, DCS330/S, DCS340, DCS341, DCS344, DCS350, DCS380, DCS390, DCS400, DCS401, DCS2501, DCS3400, DCS3400TH, DCS3410, DCS3410TH, DCS3500, DCS3501, DCS4300i, DCS4610, DES300, DES330S, DES340, DES341, DES350, DES380, DES390, DES400, DES401, DUC252, DUC252PM4, DUC252RM2, DUC252Z, DUC353Z*, DUC353RF2*, DUC254, DUC306PT2B, DUC306ZB, DUC356PT2B, DUC356ZB, EA3100T, EA3110T, EA3200S, EA3200S, EA3200S*, EA3201S*, EA3202S*, EA3203S*, EA3500F, EA3500S*, EA3501F, EA3501S*, EA3502S*, EA3503S*, EA3600F, EA3601F, EA3700T, EA4300F, UA004G**, UC002G**, UC003G**, UC004G**, UC005G**, UC007G**, UC010G**, UC011G**, UC012G**, UC013G**, UC014G**, UC015G**, UC016G**, UC017G**, UC250D, UC3001A, UC3020A*, UC3030A, UC3040A*, UC3041A*, UC3050A, UC3051A, UC3501A, UC3520A*, UC3530A, UC3530AP, UC3540A*, UC3541A*, UC3550A, UC3551A*, UC4001A, UC4020A*, UC4030A, UC4030AP, UC4040A*, UC4041A*, UC4050A, UC4051A, UC4530A, UC4530AP, UC4550A, UC4551A, VC3000A * Gauge can vary and be 1.1mm **Pitch and gauge may vary	30	12	3/8" LOW PROFILE	1.3	46	B46	120SDEA041		B1	B2	B5
DUA300Z**, DUA301Z**, UA004G** **Pitch and gauge may vary	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
DUA300Z**, DUA301Z**, UA004G** **Pitch and gauge may vary	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
DUA300Z**, DUA301Z**, UA004G** **Pitch and gauge may vary	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
DCS410, DCS411, DCS430, DCS520, DCS4300, DCS4300i, DCS4300F45C-KIT, DCS4301, DCS4301-KIT, DCS5200i, EA4300F, EA4301F	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK041		D1	D2	D5



DCS43, DCS52, DCS430, DCS431, DCS460, DCS461, DCS500, DCS501, DCS520, DCS4300i, DCS4600S, DCS4600SH, DCS4630, DCS4630-38, DCS5000, DCS5000H, DCS5001, DCS5001H, DCS5121, DCS5200, DCS5200i, DCS6000i, DCS6800i, EA500F, EA5000P, EA5001F, EA5001P	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
Above models can also be fitted in 3/8" pitch	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
DCS6000I, DCS6100P, DCS6101P, DCS6400, DCS6400H, DCS6401, DCS6401-45, DCS7300, DCS7300H, DCS7300P, DCS7301, DCS7301P, DCS7301-45, DCS7900, DCS7900H, DCS7900P, DCS7901, DCS7901P, DCS9000, DCS9010, EA5600F, EA7300P, EA7900P	38	15	3/8"	1.5	56	73DPX056E	158SFHD009	(1x) 158SFHD009 (2x) 73DPX056	K1	K2	K5
	40	16	3/8"	1.5	60		168SFHD009		K1	K2	K5
	43	17	3/8"	1.5	64	73DPX064E			K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHD009	(1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD009	(1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5

Pole Saw EPS850	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
ECS2000-400, ECS2000-400, EK 2000-400-1, EK2200-40	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
EK2400-40AK	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
PCS46-45, MCS46-45	45	18	3/8" LOW PROFILE	1.3	62	B62			B1	B2	B5
SPS01-45	45	18	.325"	1.5	72	F72			D1	D2	D5


Pole Saw KSH600	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
KSB3940, KSE2000, KSE2150, KSI1800-35	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
KSB 4945	45	18	.325"	1.3	72	D72			D1	D2	D5

Li 58CS	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5
CS35, CS 35S, CS 42S, CS 42 STE, CS330, CS340, CS340-16, CS350, CS360, CS360T, CS370, CS380, CS380T, CS390, CS400, CS400T, CS420T, CSE 1835, CSE 1935S, CSE 2020, CSE 2040S, CSE 2040, Inline 1650, Inline 1800, Inline 1800T, Inline 1900, Inline 2200T, MAC 4-18XT, Mac 4-20 XT, Mac 20X Power, Mac 335, Mac 435, MAC418XT, Mac Cat 436, Mac Cat 438, Mac Cat 440, Mac Cat 441, Mac Cat T441, Mac Cat 442, Titanium 420, MAC842	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
CS50S, CS410, CS410T, CS 410 Elite, CS 410 Elite15, CS450, CS450 elite, CS450 Elite18, Promac 10-42, Promac 10-49, Xtreme 3.0, Xtreme 3.4	33	13	.325"	1.3	56	D56	130MLBK095	(1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095	(1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5

GRENSÅG MEEC EL 900W	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
GRENSÅG MEEC	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2	B5
ELKEDJESÅG 2200W, 1600W,	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2	B5
MEEC 37.2CC	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
ELKEDJESÅG 2000W	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
MEEC MOTORSÅG 46CC	33	13	.325"	1.3	56	D56	130MLBK095 (1x) 130MLBK095 (2x) 95TXL056		D1	D2	D5
MEEC MOTORSÅG 49.3CC	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5

EK 2400-400WLK	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
EKS2040/1	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5





METABO™

5338	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA074	(1x) 120SDEA074 (2x) 91P044	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	50	B50	140SDEA074	(1x) 140SDEA074 (2x) 91P050	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA074	(1x) 160SDEA074 (2x) 91P055	B1	B2	B5
KT1441	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA095		B1	B2	B5
1530	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5

MOGATEC™

MKS3835	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
EKS1500-35	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5

MOUNTFIELD™

MC2000Q, MC3616, MC3720, MC438, MC48LI	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
MC382	40	16	.325"	1.3	66	D66			D1	D2	D5
MC640	40	16	.325"	1.3	66	E66			D1	D2	D5

MR. GARDENER™

1335-2 WKS, AKS 4035 LI	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
EKS1835, EKS1835/2	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
BKS2040, EKS2040/1, EKS2440	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5

MTD™

GCS25/30T	30	12	3/8" LOW PROFILE	1.3	45	B45			B1	B2	B5
CC1936, CC2740	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA095		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA095		B1	B2	B5
CC3045, 3352, 3551, 4051, 4256	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	60		168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5

NAC™



CST25-25-08AC	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
CE18-N-H, NAC4380, NAC4645	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
E20-NS-H	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
CST38-40-06AC	40	16	.325"	1.3	66	E66	160PXBK095		D1	D2	D5
SPS01-45	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5

NAREX™

EPR-30D-C, EPR30-20, EPR35-20, EPR-35D-C, EPR35E, EPR-40D-C, EPR40-20	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	30	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
EPR35-23	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2	B5
EPR40-23	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5


NAUTAC™

135,140,144,232,236	30	12	3/8" LOW PROFILE	1.3	44	B44			B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	49	B49			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
131	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
138	33	13	.325"	1.3	56	D56	130MLBK095	(1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095	(1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5



NAUTAC™ ./..											
244, 246, 252	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66			D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
146	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
NORMA™											
Royal NRBK5045	45	18	.325"	1.5	72	F72			D1	D2	D5
OBI™											
BKS 40	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
OBI-CMI™											
1735BKS, 2040KS, 2040KSI	35	14	3/8" LOW PROFILE	1.3	49	B49			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
2115	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
2040KSS	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
OBI-DIANA™											
1300-35KS, 1400-40KS	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
OBI-VARIOLUX™											
2135KSE, 2140KSE, 2335BKS	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
2340BKS	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
V-EKS2400	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
O.K.™											
EKS 1635, OK3600	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
EK 2000-400WLK	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
EKS 1840	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
OGRÓD+ PLUS™											
1400W, 1600w	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
OLEO-MAC™											
GSi30	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
EP 90, EP100, EP120, PPX-271	25	10	3/8" LOW PROFILE	1.1	39		104MLEA318		A1	A2	A5
GS 260	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
PPH 250	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
GS 220 Li-ion	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
932C, 936, 940, GST 360	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
937, 941C, GS 35, GS 35C, GS 37, GSH 40, GS 41*, GS 180E, GS 200E, GS 350, GS 350C, GS 370, GS 371*, GSH 400, GS 410C, GS 411* * Pitch may vary	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5
937 P.S., GS 370 P.S. (PowerSharp)	40	16	3/8" LOW PROFILE	1.3	56	PS56E	160SDEA041		B1	B2	B5
GS 41*, GS 44, GS 45, GS 371*, GS 410CX, GS 411*, GS 440, GS 451, GS 45150y, 941CX * Pitch may vary	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK041		D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK041		D1	D2	D5






OLEO-MAC™ ./..											
GSH 51*, GSH 56*, GSH 510*, GSH 560* * Pitch and/or gauge may vary	33	13	.325"	1.3	56	D56	130MLBK095	(1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095	(1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK095		D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5
938, 947, 952, 956*, 962*, GSH 51*, GSH 56*, GSH 510*, GS 520, GSH 560*, GS 630* * Pitch and/or gauge may vary	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
956*, 962*, 965 HD, GSH 51*, GSH 56*, GSH 510*, GSH 560*, GS 630* * Pitch and/or gauge may vary	50	20	.325"	1.5	78	F78	208PXBK095		D1	D2	D5
	45	18	3/8"	1.5	68	L68	188SFHK095		K1	K2	K5
	50	20	3/8"	1.5	72	L72	208VXLHK095		K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHD009	(1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
GS 650, GS 651	50	20	3/8"	1.5	72	L72	208SFHD009	(1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5
	45	18	3/8"	1.5	68	L68			K1	K2	K5
261, 264, 350, 481, 482, GS 720, GS 820	50	20	3/8"	1.5	72	L72	208SFHD024		K1	K2	K5

OREGON™											
PS250	20	8	3/8" LOW PROFILE	1.1	34	90PX034E	084MLEA041		A1	A2	A5
PS750	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
CS1200	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
CS1400	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
CS1500	40	16	3/8" LOW PROFILE	1.3	56	573268	160SDEA041				
	45	18	3/8" LOW PROFILE	1.3	62	571039	180SDEA041				
CS250	35	14	3/8" LOW PROFILE	1.3	52	566336	140SDEA041				
CS300	40	16	3/8" LOW PROFILE	1.3	56	573268	160SDEA041				

PARKSIDE™											
EKS 1650, EKS 1700/40, PKS 40, PKS 40/3, EKS 1700/40 ab 4/2002	40	16	3/8" LOW PROFILE	1.1	55				A1	A2	A5
EKS 1600, EKS1650, EKS 1800, EKS 2500/5, EKS 2500/5QT	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	55	B55			B1	B2	B5
PKS 200/4, PKS 40, PKS 40/3	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5
EKS 1700	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
PKS 40/5, PKS 1635, PKS 1840	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2	B5

PARTNER™											
1436, 1641	35	14	3/8" LOW PROFILE	1.1	52	A52			A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56			A1	A2	A5
(P) 330, 335, 340, 345, 350, 351, 352, 360, 365, 370, 371, 382, 385, 390, 391, 395, 401, 405, 420*, 422, 436, 470, 516, 719, 738, 740, 842, 842 CC, 842 Combi, 542, 542e, 1436, 1535, 1550, 1641, 1750 ELP, 1840, 1850, 20X, 33XT, 352 CCS, 382 CCS, 4-18XT, P4-18, 4-20XT, P4-20, 842TL, EL1200, EL1400, EL1435, EL1440, EL1500, Formula 55, Formula 60, Formula 400, ES716, ES718, ES720, ES722 * From year 2010	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
(P) 538, 538E, 1835, 1840, (P)1535EL, (P)1540EL, (P)1640EL, ES1900, ES2200	35	14	3/8" LOW PROFILE	1.3	50	B50	140SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318		B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	60		180SDEA318		B1	B2	B5
185, 1550EL, 1850EL, P420*, P520, P616, 620, P718T, P722T * Until year 2009	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA095		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA095		B1	B2	B5



PARTNER™ ./.

20X POWER, EL1450, EL1650, (P) 360, 365, 400, 405, 410, 411, 450, 460, 461, 462, 462CCS, 465, 470, 490, 495, 500, 510, 511, 540, P540H, 543, 545, 605, 4700, 1200EL, 1400EL, 1450EL, 1500EL, 1650EL, Minifarmersaw, P4200, P4600, P4700, P4900, P5000, P5100, P5200, P5300, P5500	33	13	.325"	1.3	56	D56	130MLBK095	(1x) 130MLBK095 (2x) 95TXL056	D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK095	(1x) 150MLBK095 (2x) 95TXL064	D1	D2	D5
	45	18	.325"	1.3	72	D72	180MLBK095	(1x) 180MLBK095 (2x) 95TXL072	D1	D2	D5
20X POWER, EL1450, EL1650, (P) 360, 365, 400, 405, 410, 411, 450, 460, 461, 462, 462CCS, 465, 470, 490, 495, 500, 510, 511, 540, P540H, 543, 545, 605, 4700, P411, P461, P462, 1200EL, 1400EL, 1450EL, 1500EL, 1650EL, Minifarmersaw P462CCS, P500, P511, P540H, P543, P4200, P4600, P4700, P4900, P5000, P5100, P5200, P5300, P5500	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
Note: many saws fitted in .325 / 1.5mm (21) can be converted to SpeedCut narrow kerf .325 / 1.3mm (95) cutting system. In such a case, both the bar and chain have to be changed	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5

PATTFIELD™

E-EAS610, E-EAS620,	20	8	3/8" LOW PROFILE	1.1	33	A33			A1	A2	A5
PE-AHE 18 Li / 20 Li, PE-EAS	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
E-KS2035, PE-EKS1835	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
PE-BKS3735	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
PE-BKS4645	45	18	3/8" LOW PROFILE	1.3	61	B61			B1	B2	B5

PERFORMANCE POWER™

FPCSP25, PP2525CSP	25	10	3/8" LOW PROFILE	1.3	40	B40			B1	B2	B5
FPCSP38, FPCS1800, FPCS1800A, YT 4750	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
PP1800, PP40CCEPA2, PP 41YD-KU01-41, YT 4770, YT 4998	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
PP 45YD-KU01-45	45	18	3/8" LOW PROFILE	1.3	60		180SDEA318		B1	B2	B5

PEUGEOT™

TLS1630, TLS1635, TLS1635A, TLS1640, TRC1630, TRC1635, TRC1640	30	12	3/8" LOW PROFILE	1.3	45	B45			B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	50	B50			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
EKS1740	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5


PLANTIFLOR™

Pole Saw ETK750	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
BK1,9-40	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
KSE2400, KSI2000	45	18	3/8" LOW PROFILE	1.3	62	B62			B1	B2	B5
BK 2,3 - 45	45	18	3/8" LOW PROFILE	1.3	60	91P060E			B1	B2	B5
BK 50-45	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5


POULAN™

ES300	35	14	3/8" LOW PROFILE	1.1	52	A52			A1	A2	A5
	40	16	3/8" LOW PROFILE	1.1	56	A56			A1	A2	A5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
1800, 2000, 2300AV, 2300CVA, 25A, MICRO25, S25CVA, S25D, S25DA, P600, 2050, 2100, 2150, 2250, 2400, 2450, 2550, 2600, ESV1414-1450W, Woodshark 1400W, 36cc	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62			B1	B2	B5
1600W	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
	33	13	.325"	1.3	56	D56			D1	D2	D5
2800, 2900, 3300, 3350	38	15	.325"	1.3	64	D64			D1	D2	D5
	45	18	.325"	1.3	72	D72			D1	D2	D5







POWER FORCE™											
AC311076	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA041		B1	B2	B5
POWER G™											
PCS 38Z	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
POWER PLUS™											
XG 1013	35	14	3/8" LOW PROFILE	1.3	52	B52			B1	B2	B5
XG 64111	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
PRIMASTER™											
Akku PMAKS 20/40	35	14	3/8" LOW PROFILE	1.1	52	A52	144MLEA041		A1	A2	A5
PMAS 750	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
PRO WORK™											
PEK 1840	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5
1840	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
REMINGTON™											
1300	35	14	3/8" LOW PROFILE	1.3	50	B50			B1	B2	B5
RYOBI™											
OPP1820, OPS1820Li, RPP720, RPP1815S, RPP182015, RPP182015S, RPP1820Li, RPP182020, RPP182025, RPP182025F, RY18CS20A	20	8	3/8" LOW PROFILE	1.1	33	A33	084MLEA041		A1	A2	A5
RPP720, RPP755E, RPP750450	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2	A5
OCS1830, RCS36, RCS36 AKKU, RCS 1830 Akku, RCS18X3050F	30	12	3/8" LOW PROFILE	1.1	45	A45	124MLEA041		A1	A2	A5
RY36CSX35A-0, RY36CSX35A-150, RCS36X3550HI	35	14	3/8" LOW PROFILE	1.1	52	A52			A1	A2	A5
RPP750S, RPP755E	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA318		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
35B, CS36C, CS41, CSE385CB, CSE3330, HC31, HC36, HC41, HCS31, HCS36	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5
KS33B-SET, PCN-3335, RCS33, RCS35, RCS40, RCS42, RCS1935B2C, RCS-3335C, RCS3535A, RCS3535B, RCS3535CA, RCS3535CB, RCS3535C2, RCS3835T, RCS 3550 Akku, RCS18352C	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2	B5
RCS3840T, RCS4040CA, RCS4040CB, RCS4240B, RY36CSX40B-0, RY36CSX40B-160	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056		B1	B2	B5
ECS2040, RCS1935, RCS2340, RCS3540C, RZC3540C	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
RCS4046C	46	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
PCN-3840, PCN-4040	40	16	.325"	1.3	66	E66			D1	D2	D5
PCN-4545, RCS4446C2	45	18	.325"	1.3	72	E72			D1	D2	D5
SABRE™											
31, 33, CS35, S335B, S385B , 205, 3350B	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2	B5
SCHEPPACH™											
CSP 2540	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
CSH 2400-160E	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
CSP 41	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
CSH 46	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA095		B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA095		B1	B2	B5
CES 2500, CSE 2500, CSE 2600, CSE 2700	45	18	3/8" LOW PROFILE	1.3	62	B62	180SDEA041		B1	B2	B5
CSH 58, CSP 5300	50	20	.325"	1.5	78	F78	208PXBK095		D1	D2	D5
SCHWARZBACH™											
SEK 2000	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
SHARK™											
MKS3840	40	16	3/8" LOW PROFILE	1.3	54		160SDEA318		B1	B2	B5
KS1800-40CK	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5




SHINDAIWA™										
250TS, 251TS	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2 B5
PT262S	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA041		B1	B2 B5
280TS	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2 B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2 B5
	30	12	3/8" LOW PROFILE	1.3	47				B1	B2 B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2 B5
251WS, 269TS, 305S, 320TS, 352S, 353S, 360, 360TS, 361WS, 362TS, 362WS	30	12	3/8" LOW PROFILE	1.3	47				B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	53	B53			B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041 (1x) 160SDEA041 (2x) 91P056		B1	B2 B5
377, 390SX, 431SX	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2 B5
	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2 D5
	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2 D5
	40	16	.325"	1.3	66	D66	160MLBK041		D1	D2 D5
451S* * Chain gauge may vary	45	18	.325"	1.3	72	D72	180MLBK041		D1	D2 D5
	33	13	.325"	1.3	56	D56	130MLBK095 (1x) 130MLBK095 (2x) 95TXL056		D1	D2 D5
	38	15	.325"	1.3	64	D64	150MLBK095 (1x) 150MLBK095 (2x) 95TXL064		D1	D2 D5
	45	18	.325"	1.3	72	D72	180MLBK095 (1x) 180MLBK095 (2x) 95TXL072		D1	D2 D5
389S, 405S, 451S*, 452S, 452GS, 488, 488P, 490, 501SX * Chain gauge may vary	33	13	.325"	1.5	56	F56	138PXBK041		D1	D2 D5
	38	15	.325"	1.5	64	F64	158PXBK041		D1	D2 D5
	40	16	.325"	1.5	66	F66	168PXBK041		D1	D2 D5
	45	18	.325"	1.5	72	F72	188VXLGK041		D1	D2 D5
598, 600, 600SX, 601SX, 731SX	40	16	3/8"	1.5	60		168SFHD009		D1	D2 D5
	45	18	3/8"	1.5	68	L68	188SFHD009 (1x) 188SFHD009 (2x) 73DPX068		K1	K2 K5
	50	20	3/8"	1.5	72	L72	208SFHD009 (1x) 208SFHD009 (2x) 73DPX072		K1	K2 K5
SHINGU™										
SP3200T, SP3200, SP3400	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2 B5
SKIL™										
1605, 1606, 1607, 1620U, 1634U, 1636U	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2 B5
SOLO™ by AL-KO™										
CS 4235 (25 cm)	25	10	3/8" LOW PROFILE	1.1	40	A40			A1	A2 A5
CSA 130 MT	25	10	3/8" LOW PROFILE	1.3	40	A40			A1	A2 A5
613, 620, 621, CS 4235	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041 (1x) 120SDEA041 (2x) 91P045		B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041 (1x) 140SDEA041 (2x) 91P052		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57			B1	B2 B5
6238, 6240, 6436, 6442	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2 B5
614, 630, 633, 635, 635 Eco, 636, 637, 640, 642, 643, CC 1936, CC 2740	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA095		B1	B2 B5
	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA095		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA095		B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA095		B1	B2 B5
639, 641, 643IP, 644, 644 SP, 645, 646, 647, 650, 651, 651C, 651SP, 652, 654, 656 *, 656 C *, 656 SP, CC 3045, 3351, 3352, 4051, 4256, 6646, 6651, 6656 *	33	13	.325"	1.5	56	F56	138PXBK095 (1x) 138PXBK095 (2x) 21BPX056		D1	D2 D5
	38	15	.325"	1.5	64	F64	158PXBK095 (1x) 158PXBK095 (2x) 21BPX064		D1	D2 D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2 D5
	45	18	.325"	1.5	72	F72	188PXBK095 (1x) 188SFGK095 (2x) 21BPX072		D1	D2 D5
656 *, 656 C *, 6656 * * Pitch may vary and be 3/8	40	16	3/8"	1.5	60				K1	K2 K5
	45	18	3/8"	1.5	68	L68	188SFHK095		K1	K2 K5
	50	20	3/8"	1.5	72	L72	208VXLHK095		K1	K2 K5







SOLO™ by AL-KO™ ./..											
662, 665, 667, 670, 675, 680, 681, 690	38	15	3/8"	1.5	56	73DPX056E	158SFHD009	(1x) 158SFHD009 (2x) 73DPX056	K1	K2	K5
	40	16	3/8"	1.5	60		168SFHD009		K1	K2	K5
	45	18	3/8"	1.5	68	L68	188SFHD009	(1x) 188SFHD009 (2x) 73DPX068	K1	K2	K5
	50	20	3/8"	1.5	72	L72	208SFHD009	(1x) 208SFHD009 (2x) 73DPX072	K1	K2	K5
STARK™/SYMPRA™/SYMPRATEC™											
1400, 1412, 1430, 14830, 1414, 1435, 14350, 14835, 14840, 1416, 1500, 1600, 1616, 14400, 16840	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA318		B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	49	B49	140SDEA318		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA318		B1	B2	B5
STARR™											
YT4635	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
STAYER™											
SEC35,SEC40	35	14	3/8" LOW PROFILE	1.3	50	B50			B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
STERWINS™											
36 CS Li-2	40	16	3/8" LOW PROFILE	1.1	56	A56	164MLEA041		A1	A2	A5
36 PS Li-2	20	8	3/8" LOW PROFILE	1.3	33	B33			B1	B2	B5
EPS2-20.3	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
40VPS2-24.1	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
PCS2-27.3, PCS2-27.31	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
ECS2-35.3, PCS2-35.3, 40VCS2-34.1	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 120SDEA041 (2x) 91P052	B1	B2	B5
PCS38, PCS2-35.31, PN3800	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
ECS1-40.3, ECS2-40.3, PCS2-40.3, PCS2-40.31	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
ECS2-45.3	45	18	3/8" LOW PROFILE	1.3	63	B63	180SDEA041		B1	B2	B5
PCS1-40.3	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
PCS46, PN4600, PCS1-45.3, PCS1-45.31, PCS2-45.3, PCS2-45.31	45	18	.325"	1.5	72	F72	188PXBK095		D1	D2	D5
STIGA™											
MP 500, MP 700, PR 700e, PR 730, PS 700e, PS 900e, SMT 500 AE, SPR 255, SPR 276, SPS 700 AE	20	8	3/8" LOW PROFILE	1.3	33	B33	080SDEA041		B1	B2	B5
	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2	B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
SE 1.6, SE1.8, SE182, SP 340	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA074	(1x) 120SDEA074 (2x) 91P044	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	50	B50	140SDEA074	(1x) 140SDEA074 (2x) 91P050	B1	B2	B5
P382S	40	16	3/8" LOW PROFILE	1.3	56	B56			B1	B2	B5
SPR 500 AE	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
ES 1814, SE1835	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
A 375, A 405, C1.8 E, C1.8 ET, C2.0 E, C2.0 ET, C2.2 E, C2.2 ET, C38, C38T, CP40, CS48Li14, CS 700e, EA1800, EA2000Q, EL2416Q, ES 2040, ES 2040T, SC48AE, SE 180, SE 180 Q, SE 190, SE 1814 Q, SE 2016 Q, SE 2216 Q, SEV 2416 Q, SP350, SP352, SP375, SP375 Q, XC 238, XC 240	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
CS 118c, CS 122c, ES 1814, ES 2016 Q, ES 2216 Q, SC 80 AE, SE 2240 Q	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2	B5
A 3700, A 4000, CS 330, CS 540, SP37, SP316, SP372, SP375, SP375Q, SP386	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	53	B53	140SDEA041		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2	B5
CS 545, SP246, SP 370, SP 405 Q, SP 410, SP 426	33	13	.325"	1.3	56	D56	130MLBK041		D1	D2	D5
	38	15	.325"	1.3	64	D64	150MLBK041		D1	D2	D5
	40	16	.325"	1.3	66	D66	160MLBK041		D1	D2	D5
CS 750, CS 755, PS46, PS52, PS460, PS510, SP 466, SP 526	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2	D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2	D5
	40	16	.325"	1.5	66	F66	168PXBK095		D1	D2	D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2	D5
	50	20	.325"	1.5	78	F78	208PXBK095		D1	D2	D5



STIHL™													
HT 56, HT 70, HT 75, HT 100, HT 101**, HT 130, HT 131**, HTE 60 ** Gauge may vary	30	12	3/8" LOW PROFILE	1.1	44	A44	124MLEA074			A1	A2	A5	
009, 017, 019, 019T, 023L, E14, E140, MS 170, MS 170-D, MS 171, MS 180**, MS 180 C-BD**, MS 180 C-BE**, MS 181**, MS 181C-BE**, MS 190**, MS 190T**, MS 192, MS 192C-E**, MS 192T**, MS 193 C-E**, MS 194 C-E, MS 200T**, MS 201T**, MSE 140**, MSE 140 C-BQ, MSE 141, MSE 141C, MSE 141C-Q, MSE 170**, MSE 170C-Q, MSE 170C-BQ ** 1.1 mm gauge as from year 2014. 1.3 mm gauge until year 2013. *** Gauge may vary	30	12	3/8" LOW PROFILE	1.1	44	A44	124MLEA074			A1	A2	A5	
	35	14	3/8" LOW PROFILE	1.1	50	A50	144MLEA074			A1	A2	A5	
	40	16	3/8" LOW PROFILE	1.1	55					A1	A2	A5	
009, 010, 011, 012, 015, 018/CQT, 020, 020T, 021/CQT, 023/C, 023/CQT, 025, AV Electronic, E10, E14, E160, E180/CQT, HT 101**, HT 131**, MS 180**, MS 180 C-BD**, MS 180 C-BE**, MS 181**, MS 181C-BE**, MS 190**, MS 190T**, MS 191, MS 191T, MS 192C-E**, MS 192T**, MS 192TC-E, MS 193 C-E**, MS 193T, MS 200, MS 200T**, MS 201, MS 201C-M, MS 201T**, MS 201TC-M, MS 210, MS 210 C-BE, MS 210 C-BQ, MS 211, MS 211C-BE, MS 230, MS 230 C-BE, MS 231*, MS 231C-BE*, MS 241*, MS 241C-BEM*, MS 241C-M*, MS 241C-MQ*, MS 241C-M VW*, MS 250, MS 250 C-BE, MS 251*, MS 251C-BE*, MSA 220 C-B, MSA 220 T, MSA 220 TC-O, MSE 140**, MSE 160, MSE 160 C-BQ, MSE 170**, MSE 180, MSE 180 C-BQ, MSE 190 C-B, MSE 190C-Q, MSE 190C-BQ, MSE 200, MSE 200 C-BQ, MSE 210, MSE 230 * Chain pitch and/or gauge may vary by year ** 1.3 mm gauge until year 2013. 1.1 mm gauge as from year 2014 *** Gauge may vary	30	12	3/8" LOW PROFILE	1.3	44	B44	120SDEA074	(1x) 120SDEA074 (2x) 91P044	B1	B2	B5		
	35	14	3/8" LOW PROFILE	1.3	50	B50	140SDEA074	(1x) 140SDEA074 (2x) 91P050	B1	B2	B5		
	40	16	3/8" LOW PROFILE	1.3	55	B55	160SDEA074	(1x) 160SDEA074 (2x) 91P055	B1	B2	B5		
MSE 210 C-B, MSE 210 C-BQ, MSE 230 C-B, MSE 230 C-BQ Above models with rapid chain tensioner & 7-tooth sprocket take an extra drive link	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA074		B1	B2	B5		
	35	14	3/8" LOW PROFILE	1.3	51		140SDEA074		B1	B2	B5		
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA074		B1	B2	B5		
MS 251*	35	14	.325"	1.3	56	D56			D1	D2	D5		
* Chain pitch and/or gauge may vary by year	40	16	.325"	1.3	62	95TXL062E			D1	D2	D5		
MS 251C-BE*	35	14	.325"	1.3	57				D1	D2	D5		
* Chain pitch and gauge may vary by year	40	16	.325"	1.3	63				D1	D2	D5		
	35	14	.325"	1.3	60	95TXL060E			D1	D2	D5		
MS 261, MS 261C-BM, MS 261C-M, MS 261C-M VW, MS 271, MS 271C-BE, MSA 300, MSA 300 C-O New fit up as from 2020	38	15	.325"	1.3	62	95TXL062E	150TXLGD025		D1	D2	D5		
	40	16	.325"	1.3	67	95TXL067E	160TXLGD025		D1	D2	D5		
	45	18	.325"	1.3	74	95TXL074E	180TXLGD025		D1	D2	D5		
	35	14	.325"	1.6	56				D1	D2	D5		
MS 231*, MS 241*, MS 241C-M*, MS 251* * Chain pitch and/or gauge may vary by year	40	16	.325"	1.6	62	G62	163PXBA074	(1x) 163PXBA074 (2x) 22BPX062	D1	D2	D5		
	45	18	.325"	1.6	68	G68	183PXBA074		D1	D2	D5		
	35	14	.325"	1.6	57				D1	D2	D5		
MS 231C-BE*, MS 251C-BE, MS 251C-BEQ* * Chain pitch and/or gauge may vary by year	40	16	.325"	1.6	63				D1	D2	D5		
	45	18	.325"	1.6	68	G68	183PXBA074		D1	D2	D5		
032*, 034*, 036*, 039*, MS 240, MS 260, MS 260 C-B, MS 260-W, MS 260-DW, MS 260 C-BW, MS 261, MS 261C-BE, MS 261C-Q, MS 261C-M, MS 261C-M VW, MS 261C-BM, MS 261-VW, MS 270, MS 270 C-B, MS 271, MS 271C-BE, MS 280, MS 280 C-B, MS 280 C-BQ, MS 280 I, MS 280 C-BI, MS 280 C-BQI, MS 291*, MS 360*, MSA 300 * Chain pitch may vary by year	33	13	.325"	1.6	56				D1	D2	D5		
	38	15	.325"	1.6	62	G62	153SFGD025	(1x) 153SFGD025 (2x) 22BPX062	D1	D2	D5		
	40	16	.325"	1.6	67	G67	163SFGD025	(1x) 163SFGD025 (2x) 22BPX067	D1	D2	D5		
	45	18	.325"	1.6	74	G74	183SFGD025	(1x) 183SFGD025 (2x) 22BPX074	D1	D2	D5		
	50	20	.325"	1.6	81				D1	D2	D5		





STIHL™ ./..

029, 031, 032*, 034*, 036*, 038, 039*, 041, 042, 044, 045, 046, 048, 056, 064, 066, MS 290, MS 291*, MS 310, MS 311, MS340, MS 341, MS 360*, MS 361, MS 361 C-B, MS 361 C-BQ, MS 361 C-Q, MS 361-W, MS 361-VW, MS 362, MS 362 C-B, MS 362 C-Q, MS 362 C-M, MS 362 C-MQ, MS 362 C-M VW, MS 362 V-W, MS 390, MS 391, MS 400 C-M, MS 440, MS 440-D, MS 440-W, MS 441, MS 441 C-M, MS 441 C-M W, MS 441-W, MS 441 C-Q, MS 460, MS 460-D, MS 460-W, MS 461, MS 462 C-M, MS 462 C-M VW, MS 500i, MS 500i W, MS 650, MS 660, MS 660-W, MS 661, MS 661 C-M, MS 661 C-M VW, MSE 220 C-Q**, MSE 250, MSE 250 C-BQ * Chain pitch may vary by year ** 57 drive link for 15" bar	38	15	3/8"	1.6	56	153SFHD025	K1	K2	K5
	40	16	3/8"	1.6	60	M60 163SFHD025 (1x) 163SFHD025 (2x) 75DPX060	K1	K2	K5
	45	18	3/8"	1.6	66	M66 183SFHD025 (1x) 183SFHD025 (2x) 75DPX066	K1	K2	K5
	50	20	3/8"	1.6	72	M72 203SFHD025 (1x) 203SFHD025 (2x) 75DPX072	K1	K2	K5

SWING™

1640 KS	40	16	3/8" LOW PROFILE	1.3	56	B56	B1	B2	B5
1640KS, EKS1600, EKS1640	40	16	3/8" LOW PROFILE	1.3	57	B57 160SDEA041	B1	B2	B5
EKS1800 / 1840	40	16	3/8" LOW PROFILE	1.3	57	B57	B1	B2	B5

TALON™

AC2108, AC2109, AC2101, AC2105	30	12	3/8" LOW PROFILE	1.3	45	B45	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	49	B49	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52 140SDEA095	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	54		B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	55	B55 160SDEA318	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	B1	B2	B5
	45	18	3/8" LOW PROFILE	1.3	60		B1	B2	B5
AC3101-35, AC2111, AC310114-35, CS38	35	14	3/8" LOW PROFILE	1.3	49	B49 140SDEA318	B1	B2	B5
AC3102	40	16	.325"	1.3	66	E66	D1	D2	D5
	45	18	.325"	1.3	72	E72	D1	D2	D5

TAS TANAKA™

TCS 2801S	25	10	3/8" LOW PROFILE	1.3	40	B40	B1	B2	B5
290, 300, ECS3351, ECS330, ECS3500, ECS360, ECS320, ECS3301, TCS3401, TCS3301S	30	12	3/8" LOW PROFILE	1.3	45	B45 120SDEA041 (1x) 91P045 (2x)	B1	B2	B5
	35	14	3/8" LOW PROFILE	1.3	52	B52 140SDEA041 (1x) 140SDEA041 (2x) 91P052	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57 160SDEA041	B1	B2	B5
	38	15	.325"	1.3	64	D64	D1	D2	D5

TITAN™

TTL488GD0, TTK587GD0, TTL650GD0	20	8	3/8" LOW PROFILE	1.3	33	B33 080SDEA041	B1	B2	B5
TT CSP25	25	10	3/8" LOW PROFILE	1.3	40	B40 100SDEA041	B1	B2	B5
TTB355CHN, YT4359	40	16	3/8" LOW PROFILE	1.3	56	B56 160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5
TTL759CHN	40	16	3/8" LOW PROFILE	1.3	57	B57 160SDEA041	B1	B2	B5
TT CSP45	45	18	3/8" LOW PROFILE	1.3	61	B61 180SDEA095	B1	B2	B5
TTL760CHN	50	20	.325"		78	F78 208PXBK095	D1	D2	D5

TONINO LAMBORGHINI™


KS 6024	40	16	3/8" LOW PROFILE	1.3	57	B57 160SDEA041	B1	B2	B5
---------	----	----	------------------	-----	----	----------------	----	----	----


TOOM™

EKS 1635, EKS 1840	35	14	3/8" LOW PROFILE	1.3	52	B52 140SDEA041 (1x) 140SDEA041 (2x) 91P052	B1	B2	B5
ECS2000-40	40	16	3/8" LOW PROFILE	1.3	56	B56	B1	B2	B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	B1	B2	B5
EKS 1840	40	16	3/8" LOW PROFILE	1.3	57	B57 160SDEA041	B1	B2	B5

TOP-CRAFT™


E1.7ProfI, 2000, EKS 1700	40	16	3/8" LOW PROFILE	1.1	55		A1	A2	A5
KTKS 1,8 PRO	40	16	3/8" LOW PROFILE	1.3	55	B55 160SDEA318	B1	B2	B5
2000	40	16	3/8" LOW PROFILE	1.3	55	B55	B1	B2	B5
KSI2000-40, KSI2100, KSI 2200	40	16	3/8" LOW PROFILE	1.3	56	B56 160SDEA041 (1x) 160SDEA041 (2x) 91P056	B1	B2	B5
EKS 1700, EKS1751-40, 1800, EKS 1800-40	40	16	3/8" LOW PROFILE	1.3	57	B57 160SDEA041	B1	B2	B5
EKS 1750, TCK 1640 (2001)	40	16	3/8" LOW PROFILE	1.3	57	B57	B1	B2	B5





ZENOAH™										
G25000PS, G2501T	25	10	3/8" LOW PROFILE	1.3	40	B40	100SDEA041		B1	B2 B5
GZ2700T, GZ2800T	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2 B5
	30	12	3/8" LOW PROFILE	1.3	45	B45	120SDEA041	(1x) 120SDEA041 (2x) 91P045	B1	B2 B5
G300T/S, G310TS, G320 AVS	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	56	B56	160SDEA041	(1x) 160SDEA041 (2x) 91P056	B1	B2 B5
G3300EZ	35	14	3/8" LOW PROFILE	1.3	52	B52	140SDEA041	(1x) 140SDEA041 (2x) 91P052	B1	B2 B5
	40	16	3/8" LOW PROFILE	1.3	57	B57	160SDEA041		B1	B2 B5
G415AVS, G3802, G3802EZ, G4100, G4101	33	13	.325"	1.3	56	D56			D1	D2 D5
	38	15	.325"	1.3	64	D64			D1	D2 D5
	45	18	.325"	1.3	72	D72			D1	D2 D5
G380AVS	33	13	.325"	1.5	56	F56			D1	D2 D5
	38	15	.325"	1.5	64	F64			D1	D2 D5
G410AVS, G455AVS, G500AVS, G38, G46, G455AVS, G500AVS, G4500, G4501, G5200, G5201, G5201P	33	13	.325"	1.5	56	F56	138PXBK095	(1x) 138PXBK095 (2x) 21BPX056	D1	D2 D5
	38	15	.325"	1.5	64	F64	158PXBK095	(1x) 158PXBK095 (2x) 21BPX064	D1	D2 D5
	40	16	.325"	1.5	66	F66			D1	D2 D5
	45	18	.325"	1.5	72	F72	188PXBK095	(1x) 188SFGK095 (2x) 21BPX072	D1	D2 D5
G621AVS	40	16	3/8"	1.5	60				K1	K2 K5
	45	18	3/8"	1.5	64	73DPX064E			K1	K2 K5






26368A




B4 




557849


585015



Q39920



561109




BOSCH™
CHAMPION™
NGK™
DENSKO™
...






A041 - K041 - T041



OEM Applications: AEG, Active, AL-KO, Alpina, Black+Decker, Bosch, Castor, Cub Cadet®, Dolmar, Draper, Echo®, Efco®, Einhell®, Gardena, Greenworks, Grizzly, Hecht, Hitachi, Homelite®, Husqvarna®, Ikra, Iseki, Jonsered®, Makita®, McCulloch®, MTD, Oleo-Mac®, Partner, Poulan®/Poulan Pro®, Ryobi®, Shindaiwa, Skil®, Solo, Stiga, Tanaka®, Zenoah, **and others**


A095 - K095 - Z095*



***Note:** In a few cases where two bars would have the same called length but different drive-link counts, the letter Z will be used in the motor-mount description to distinguish between them (K095 and Z095 for example).


OEM Applications: AL-KO, Alpina, Castor, Cub Cadet®, Dolmar, Efco®, Einhell®, Hecht, Homelite®, Husqvarna®, Jonsered®, Makita®, McCulloch®, Metabo®, Mitox, MTD, Oleo-Mac®, Partner, Pioneer, Poulan®/Poulan Pro®, Ryobi®, Shindaiwa, Solo®, Stiga®, Zenoah®, **and others**

A074




OEM Applications: Alpina, Castor, Metabo®, Oleo-Mac®, Stiga®, Stihl®

A318



OEM Applications: AL-KO, Black+Decker®, Dolmar, Echo®, Efco®, Einhell®, Grizzly, McCulloch®, Oleo-Mac®, Ryobi®, Shindaiwa, Stiga®, **and others**


D009



Note: VXL have oval holes and shorter slots

OEM Applications: Alpina, AL-KO, Dolmar, Efco®,Husqvarna®, Iseki , Jonsered®, Makita®, Oleo-Mac®, Partner, Shindaiwa, Solo®

D025



OEM Applications: AEG, Stihl®



4,0 mm

B5

4,5 mm

A5



4,8 mm

D5

5,5 mm

K5





3/8" LOW PROFILE (90/91)

1,3mm 95T XL = D $\times$

1,3mm 20BPX = E $\times$

1,5mm 21BPX = F $\times$

1,6mm 22BPX = G $\times$

1,5mm 73DPX = L $\times$

1,6mm 75DPX = M $\times$



3/8"



infocenter.oregonproducts.eu

A107482 40/23

AD402-021

Oregon® is registered trademark of Oregon Tool, Inc.
Oregon Tool, Inc. is not affiliated or associated with any listed third-party trademarks.