



DATA SHEET

ROOM SOLUTION: RALLY BAR + TAP IP

Logitech Rally Bar delivers a powerful all-in-one video conferencing experience, featuring brilliant optics, automated PTZ, and high-performance audio for medium to large meeting rooms.

Meetings start with just one touch with Logitech Tap IP, a network-connected touch controller for Logitech room solutions.

Set up your room for leading video conferencing platforms, including Zoom Rooms, RingCentral, Microsoft Teams on Android, and others*.

ALL-IN-ONE APPLIANCE SOLUTION FOR MEDIUM TO LARGE ROOMS

Rally Bar sets a new standard for video meetings in medium to large rooms, with expansion options for larger groups and settings.

It's remarkably simple to use, manage, and deploy at scale, delivering cinema-quality video and audio in a sleek, all-in-one form factor. Leverage the built-in compute to run video conferencing applications directly on the device.

Together with Tap IP, the purpose-built touch controller has just the right presence with a spacious 10.1" display and sleek, low profile.

Take advantage of its single Power over Ethernet (PoE) connection and variety of mounting options to install the touch controller anywhere in the room.

Prevent accidental disconnections thanks to built-in cable retention and strain relief, and be confident that each room stays ready for the next video meeting.

PRODUCT FEATURES



ALL-IN-ONE VIDEO BAR

Rally Bar delivers a motorized PTZ camera, advanced microphone array, and dual room-filling speakers in a sleek, easy-to-install form factor. As a video conferencing appliance, deployment is easy with fewer cables and no PC required.

CLEAN AND SECURE CABLING

Route cables from above or below: thoughtful cable management hides cable clutter and keeps connections tight. This minimizes visible cabling, prevents downtime due to accidental disconnections, and supports mounting positions above and below the display.

BUILD YOUR VIDEO MEETING ROOM


It's easy to deploy video conferencing in a variety of meeting rooms. Expand this kit with custom-designed mounts, mic pods, and accessories to suit your space (Shown: Rally Bar and Tap IP with optional Rally Mic Pods and Mic Pod Mounts).

START MEETINGS WITH A TAP

Meetings start with just one touch with Tap IP, a network-connected touch controller that's easy to use and simple to set up.

MANAGEMENT AND INSIGHTS

Monitor, manage, and get business insights into how your rooms are being used with Logitech Sync.



ACCESSORIES & TECH SPECS

RECOMMENDED ACCESSORIES



Tap Riser Mount
Elevated table mount with swivel and cable management



Tap Wall Mount
Space-saving wall mount with cable management



Tap Table Mount
Swiveling table mount with cable management



Tap Scheduler
Purpose-built scheduling panel for meeting rooms



Scribe
Effortlessly share whiteboards into video meetings with Logitech Scribe, an AI-powered whiteboard camera



Swytch
Connect a laptop to a room system's AV equipment for use with any video meeting or webinar.



Rally Mic Pod
Modular microphones with RightSound™ for Rally, Rally Bar, and Rally Bar Mini



Rally Mic Pod Mount
Anchors Rally Mic Pod to a table or ceiling, with cable management for a clean installation.



Rally Mic Pod Hub
Customize microphone placement for most any conference table configuration



Rally Mic Pod Extension Cable
10 meter extension cable.



TV Mount for Video Bars
Attach Rally Bar, Rally Bar Mini, or Rally Camera to almost any display with VESA mounting points.



Wall Mount for Video Bars
VESA-compatible mounting kit for Rally Bar and Rally Bar Mini.

TECH SPECS

TAP IP - GENERAL	RIGHTSENSE TECHNOLOGIES
Touch Screen: 257 mm (10.1 in) diagonal screen with 14° display angle Resolution: 1280 x 800 Cabling: Power over Ethernet (PoE) cable (not included), IEEE 802.3af Type 1, Class 3 device Cable Management: Internal cable retention and strain relief system Ethernet: 10/100mbps Wi-Fi: 802.11a/b/g/n/ac Device Management: Logitech Sync Color: Graphite Mounting: 100 mm x 100 mm VESA FDMI Dimensions (H x W x D): 58 mm (2.3 in) x 244 mm (9.6 in) x 179 mm (7.0 in)	RightLight: Renders natural skin tones for each participant. RightSight: Maintains persistent room awareness and detects human figures to auto-frame participants. RightSound: Distinguishes speech from other sounds to auto-level voices while suppressing background noise and echo.
RALLY BAR - GENERAL	RALLY BAR - INTERFACES
Built-in Components: 6 beamforming microphones, PTZ camera, 2 speakers, AI Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform Enclosure: All-in-one enclosure with a patented suspension system to eliminate vibration-induced camera shake and audio interference Device Management: Logitech Sync Displays Supported: 2 Display Resolution: Up to 4k Colors: Graphite, White	HDMI Out: 2 HDMI In: 1 USB 3.0: 3x Type A, 1x Type C Network: 10/100/1G Ethernet WiFi: 802.11a/b/g/n/ac (MIMO) Accessory Audio Input: Yes (for optional Rally Mic Pod, Rally Mic Pod Hub, and Rally Mic Pod Extension Cable) Remote Control: Bluetooth® Low Energy

PRODUCT SPECS & LINKS

RALLY BAR - CAMERA	RALLY BAR - MICROPHONES	RALLY BAR - DIMENSIONS	
Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps Pan: Motorized $\pm 25^\circ$ Tilt: Motorized $\pm 15^\circ$ Zoom: 15X HD zoom (5X optical, 3X digital) Diagonal Field of View: 90° Horizontal Field of View: 82.1° Vertical Field of View: 52.2° Total Room Coverage: 132.1° Horizontal x 82.2° Vertical	Frequency Response: 90Hz–16kHz Sensitivity: $>-36\text{dBFS} \pm 1\text{dB}$ @ 1Pa Microphone Data Rate Output: 48 kHz Pickup Range: 4.5m (15 ft) Beamforming Elements: Six omnidirectional digital MEMS microphones forming five adaptive acoustic broadside beams Audio Processing: AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector) Noise Suppression: AI filter Add-on Mics: Supports up to 3 additional Rally Mic Pods	Height: 164 mm (6.46 in) Width: 910 mm (2.99 ft) Depth: 131 mm (5.14 in) Lens Depth: 28.8 mm (1.13 in) Weight: 7.08 kg (15.6 lbs)	
		KIT COMPONENTS	
		Logitech Rally Bar Logitech Tap IP	
RALLY BAR - SPEAKERS	RALLY BAR - SECURITY	PACKAGE CONTENTS	
Drivers: 2x 70 mm (2.7 in) Output: 90dB SPL @1W, 99dB SPL @8.0W, both $\pm 2\text{dB}$ at $\frac{1}{2}$ meter Sensitivity: $90 \pm 3\text{dB SPL}$ at 1W, $\frac{1}{2}$ meter THD: 1kHz $< 2\%$ Speaker sampling rate: 48 kHz	Full Disk Encryption: AES-128 Data Encryption: Symmetric Keys, PKI Device Identity: Protected by device attestation Device Access: Authenticated using API Key Protection: Arm TrustZone, RMP	Rally Bar Logitech Rally Bar video bar Power supply Cables Lens caps Remote control User documentation	Tap IP Logitech Tap IP touch controller VESA mounting screws (4) Microfiber Cloth Documentation
RALLY BAR - POWER & CABLES	*CERTIFICATIONS & COMPATIBILITY	WARRANTY	
Power Supply: Auto-sensing Operating voltage/power: 100-240V, 19V, 4.74A Power Supply Dimensions: 127 mm x 51 mm x 30 mm DC Cable: 1.5m (4.9 ft) AC Cable: 1m (3.28 ft) HDMI 1.4 cable: 2m (6.5 ft) USB A to USB C 3.0 cable: 2.2m (7.2 ft)	Appliance Mode Supports compatible video conferencing software in appliance mode (no PC required), including Zoom Rooms, Microsoft Teams on Android, RingCentral Meetings Rooms, and Tencent (for Chinese version only). Contact Logitech or see https://prosupport.logi.com/hc/en-us/articles/1500001344641 for availability information and additional video conferencing platforms. Certifications All components included in the room solution bundle are certified for Zoom Rooms, Microsoft Teams on Android, and RingCentral Meetings Rooms (and Tencent for the China-only version). Contact the manufacturer for additional information on pending and granted certifications.	Standard: 2-year limited hardware warranty included Extended: 1-year and 3-year extended warranties available at the time of hardware purchase. Contact your reseller for availability.	
RALLY BAR - ENVIRONMENTAL			PART NUMBERS
Operating Temperature: 0 to 40 °C Storage Temperature: -40 to 70 °C Humidity: 10 to 95% BTU/hr: 34 idle, 85 in meeting			US/CA/MX: 991-000419 Brazil: 991-000420 Argentina/Chile: 991-000421 EU/SEA/INDO: 991-000422 UK/HK: 991-000423 Switzerland: 991-000424 AUS/NZ: 991-000425 Taiwan: 991-000426 India: 991-000427 Korea: 991-000431 China: 991-000428 Japan: 991-000429



Contact your reseller
or contact us at
www.logitech.com/vcsales

Logitech Americas
7700 Gateway Blvd.
Newark, CA 94560 USA

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

© 2022 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published September 2022