

T·45




TECHNICAL SHEET

DESKTOP

38mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) tops finished with 2mm matching straight Abs impact resistant edges. Tops are linked to the legs by 45° mitred joints to form 90° corners.
Panel density: 670/730 kgs per cubic meter

Finish options:




PANEL END LEG



Made from 38mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) finished with 2mm matching straight Abs impact resistant edges
Panel density: 670/730 kgs per cubic meter


Finish options:



0-20mm steel adjustable levelling feet with round Abs molded scratch-resistant base. 25mm diameter.

MODESTY PANEL

18mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) structural modesty panel finished with 2mm matching straight Abs impact resistant edges
Panel density: 670/730 kgs per cubic meter



RETURN UNIT

Return unit sitting 38mm below desktop surface. Fabricated from 38mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) finished with 1.5mm matching straight Abs impact resistant edges. Panels are linked together by 45° mitred joints to form 90° corners.

COMBINATION UNIT SUPPORTING FLUSH RETURN TOP

Fabricated from 18mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) finished with 1.5mm matching straight Abs impact resistant edges. Panels are linked together by 45° mitred joints to form 90° corners.


SUPPORTING SLIDING DOOR LOW CREDENZA UNIT

Fabricated from 18mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) finished with 1.5mm matching straight Abs impact resistant edges. Four 94x30mm pentagon-shaped matt white epoxy powder coated steel legs complete with 0-20mm steel adjustable levelling feet with round Abs molded scratch-resistant base. The credenza back can either come in 18mm melamine faced chipboard (MFC) or 1.5mm thick matt white fingerprint-proof scratch resistant epoxy powder coated perforated steel sheet metal.



RETURN UNITS: STATIC PEDESTAL

Carcass made of 18mm melamine faced chipboard (MFC) finished with 0.4mm melamine edging. Top and drawer fronts made of 18mm melamine faced chipboard (MFC) finished with 1.5mm Abs impact resistant edges. Easy to clean scratch-resistant anti-reflective melamine available in four finish options with a textured and a smooth surface.


Standard metal handle
 Zen




Optional metal handle
 Zen




FINISH OPTIONS




Structural modesty panel



Return with static pedestal



Combination unit with static pedestal





Low credenza unit





PERFORATED METAL BACK

Metal back fabricated from 1.5mm matt epoxy powder coated fingerprint- and scratch resistant steel sheet metal. Cable flaps above the back fabricated from epoxy powder coated 6060 extruded aluminium profiles.




CABLE FLAP AND CABLE TRAY


Aluminium hinged flap with integral open ended cable tray under fabricated from zinc plated steel.



DESK




DESK WITH RETURN UNIT SITTING 38MM BELOW MAIN DESKTOP




LAYOUT


DESKS




DESKS WITH RETURN UNIT




DESKS WITH LOW CREDENZA UNIT



DESKS WITH COMBINATION UNIT



MEETING/BOARDROOM TABLES




TECHNICAL FEATURES

DESKS


DESKS WITH RETURN UNIT

- 1) 38mm MFC panel end leg
- 2) 38mm MFC desktop
- 3) 18mm MFC structural modesty panel
- 4) Cable basket (optional extra)
- 5) Return unit sitting below desktop
- 6) Cable flap with cable tray under
- 7) Static 3-drawer + 1-pen drawer pedestal (drawer boxes in four variants)
- 8) CPU shelf




DESKS WITH LOW CREDENZA UNIT

- 1) 38mm MFC panel end leg
- 2) 38mm MFC desktop
- 3) 18mm MFC structural modesty panel
- 4) Cable basket (optional extra)
- 5) Sliding door low credenza unit
- 6) Perforated metal back
- 7) Melamine back



DESK WITH COMBINATION UNIT

- 1) 38mm MFC panel end leg
- 2) 38mm MFC desktop
- 3) 18mm MFC structural modesty panel
- 4) Cable basket (optional extra)
- 5) Combination unit
- 6) Supporting metal beam
- 7) Static 3-drawer + 1-pen drawer pedestal (drawer boxes in four variants)
- 8) Perforated metal back
- 9) Melamine back




ACCESSORIES



Ø60mm Abs cable port



Cable basket for desks



Abs cable spine



Cable basket for tables with
loop leg frame



Cable flap with cable tray
under