



LogiLink®

Heat Detector with Non-Replaceable Battery

Art. No.: SC0232



Complies with
BS 5446-2:2003
Standard



Built-in 10 Years
DC 3 V lithium battery

Make Your Home Safer

This heat detector with 10 years lithium battery has Class A1 thermistor for fast and accurate heat detection. Loud 85 dB alarm with easy mounting kits, single test/silence button and an end-of-life signal so you know when to replace the device. For maximum protection and the ultimate in assurance, you can depend on Logilink's Heat Detector to secure what matters most in life.



85dB Alarm



Silent Mode



LED Indicator



Low Battery Indication



Easy to Install



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.




SC0232



Made in China

Highly Accurate & Responsive

Features Class A1 thermistor for fast and accurate heat detection. With an 85 dB alarm and a rapid flashing indicator, the alarm ensures complete protection by giving you enough time to control the fire or safely escape.



Guaranteed Quality

Complies with the BS 5446-2:2003 standard, ensuring high quality and durability for home safety.



Self-Test & Silent Function

Built-in 3 V lithium battery, which could keep for 10 years without replacing to protect the environment.

Comes with silent mode that allows you to avoid false alarms from cooking or steamy showers. Once pushed, silent mode is activated for 10 minutes, then returns to normal functionality, thus keeping you and your family safe.



Easy Installation

Easy to install the mounting bracket with screws or adhesive pad.



Specifications:

Power	Built-in CR123A 3 V Lithium battery, not replaceable
Sensor Type	Thermistor
Standard	BS 5446-2:2003
Class	A1
Temperature Sensitivity	54–65°C
Alarm Volume	≥85 dB@3 m
Alarm Mode	Sound + light
Silent Mode Time	Up to 10 minutes
LED Indicator	Yes
Battery Life	10 years
Mounting Methods	Ceiling-mounted by screws or 3M pad
Housing Material	PC + ABS
Color	White
Operating Temperature	-10–50°C
Operating Humidity	0–70% RH (non-condensing)
Dimensions	Ø9.95 x 3.5 cm
Weight	107.5

Package Contents:

- » 1x Heat Alarm
- » 1x Adhesive Pad
- » 1x Fitting Material
- » 1x User Manual

Package Information:

- » Packing Dimension: 103 x 47 x 103 mm
- » Packing Weight: 0.246 kg
- » Carton Dimension: 555 x 415 x 260 mm
- » Carton Q'ty: 90 pcs
- » Carton Weight: 13.2 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

