




UNAS Pro

UNAS-Pro

2U rack-mount NAS with (7) 2.5/3.5" drive bays and 10 Gbps performance designed for large-scale file storage and sharing.

^ Overview

Dimensions	442.4 x 325 x 87.4 mm (17.4 x 12.8 x 3.4")
Storage Capacity	(7) 3.5" drive bays
Networking Interface	(1) 10G SFP+ (10G/1G) (1) GbE RJ45 (1G/100M/10M)
Power Redundancy	✓
Form Factor	Rack mount (2U)

^ **Hardware**

Hard Drive Capacity	(7) 2.5/3.5" HDD / SSD support
Max. Power Budget for Drives	135W
Max. Power Consumption	160W
Power Method	(1) Universal AC input, 100—240V AC, 3A Max., 50/60 Hz (1) USP-RPS DC input, 11.5V DC, 13.91A
Power Supply	AC/DC, internal, 200W
Processor	Quad-Core ARM® Cortex®-A57 at 1.7 GHz
Memory	8 GB
Management	Ethernet
RF Interface	Bluetooth 4.1
Display	1.3" touchscreen
Weight	Without mounting brackets: 9.2 kg (20.3 lb) With mounting brackets: 9.5 kg (20.8 lb)
Enclosure Material	SGCC steel
Mount Material	SGCC steel
LEDs	
Ethernet	✓
SFP+	✓
HDD	✓
RPS	✓

Ambient Operating Temperature	-5 to 40° C (23 to 104° F)
Ambient Operating Humidity	5 to 95% noncondensing
NDAA Compliant	✓
Certifications	FCC, CE, IC, Anatel: 01886-25-08356

Software

Application Requirements

UniFi Drive	Version 1.16.0 and later
-------------	--------------------------

Supported File Protocols

NFS	✓
SMB	✓

Supported features on unifi.ui.com

RAID Type	RAID 5 RAID 6 RAID 10		
RAID Group	Multiple		
Hot Spare Support	✓	Snapshots	 ✓
Personal Drive & Shared Drive	 ✓	Share Links	 ✓
File Encryption	✓	Time Machine Backup	 ✓
Backup to Remote UNAS	✓	Client App Support	 ✓
Backup to CIFS/SMB Server	✓	User Groups	 ✓
Backup to Cloud Services (Google Drive, OneDrive, Dropbox, Amazon S3, Backblaze B2, Wasabi)	✓		